

HEBEI NEWEAST YILONG

2017 HARDWARE & GARDEN



www.hebeiyilong.com



Hebei Neweast Yilong Trading co., ltd established in 2006, is a wholly-owned private enterprises, most of our products are mainly export to European , Russia, America, African and South Asia.

We attend Canton fair twice every year, Cologne hardware fair, Mosbuildin Russia , National Hardware Show in USA, etc.

We have get AEO Authentication certificate from Chinese customs and BSCI standard certificate.

Insist the quality is the assurance, perfect service-oriented to be our faith. All the staffs of Neweast Yilong are ready to do best to satisfy your demand.

Cooperation is right here.



Mesh	1-19
Galvanized hexagonal wire netting	2-3
PVC coated hexagonal wire netting	4-5
Black shaped net	6
Black wire hexagonal netting	6
Field fence	7
Galvanized welded mesh	8-9
PVC coated welded mesh	10
Eurofence	11
Chainlink fence	12
Border fence	13
Gabion	14-15
Crimped wire Mesh	16
Galvanized wire netting	16
Stainless steel wire mesh	17
Brass / Copper / Bronze wire mesh	18
Aluminium / Fiber glass screen	18
Dutch wire mesh	19

Wire	20-23
Garden twist tie wire	20
Tie wire with axle	20
Wire with spool	20
Tie wire	20
Wire with spring	21
Tension wire	21
Wire with dispenser	22
PVC coated wire with plastic support	22
Small coil wire 330g	23
Loop tie wire	23
PVC coated wire	23
Galvanized wire	23

Barbed wire	24
Razor wire	25
Razor fence	25
Nail	26
Corner bead	27
Expand mesh	28

Panel	29-32
Construction panel	29
3D-panel	30
2D-panel	31
Decorative Panel	31-32
Euro-Panel	32
Security fence	32

Post	33-35
Round / Square / Pit post.....	33
L-post / T-post.....	34
V-post / U-post / Y-post.....	35

Accessories	36-39
Strainer.....	36
Caps.....	37
Clamps for panel.....	38
Clips for mesh.....	39

Sets	40-49
Chainlink fence set	40-43
Eurofence set	44-47
Field fence set.....	48-49

Gate	50-60
Promotion gate	50-51
Comfort gate.....	52-53
Premium gate	54-55
Standard gate	56-57
Square post single gate.....	58
Economic gate.....	58
3D double gate	59
Super metal gate	60

Pet cage	61-63
-----------------------	--------------

Anchor	64-72
Umbrella spike	65
Ground screw.....	65-66
Pole anchor.....	67-71
Adjustable pole anchor	72

Garden products	73-87
Garden fence.....	74-77
Plant support	78
Flower basket	79
Flower stand.....	80
Bracket.....	81
Garden hook	82-83
Trellies	84-85
Obelisk.....	86
Arch.....	87

MESH & WIRE



Galvanized Hexagonal Wire Netting

- Hot Dip Galvanized Before Weaving
- Hot Dip Galvanized After Weaving
- Electric Galvanized Before Weaving


1/2" (13mm). 5m/10m/25m/30m/50m

Opening	Height	Thickness
1/2"	500mm	BWG27/BWG26 BWG25/BWG24 BWG23/BWG22/BWG21
	600mm	
	800mm	
	1000mm	
	1200mm	
	1500mm	
	1800mm	
	2000mm	



5/8" (16mm). 5m/10m/25m/30m/50m

Opening	Height	Thickness
5/8"	500mm	BWG26/BWG25 BWG24/BWG23 BWG22/BWG21
	600mm	
	800mm	
	1000mm	
	1200mm	



reverse twist



normal twist

3/4" (20mm). 5m/10m/25m/30m/50m

Opening	Height	Thickness
3/4"	500mm	BWG25/BWG24 BWG23/BWG22/BWG21
	600mm	
	800mm	
	1000mm	
	1200mm	
	1500mm	
	1800mm	
	2000mm	



Galvanized Hexagonal Wire Netting

1" (25mm). 5m/10m/25m/30m/50m

Opening	Height	Thickness
1"	500mm	BWG24/BWG23 BWG22/BWG21 BWG20/BWG19
	600mm	
	800mm	
	1000mm	
	1200mm	
	1500mm	
	1800mm	
	2000mm	



1-1/4" (31mm). 5m/10m/25m/30m/50m

Opening	Height	Thickness
1-1/4"	500mm	BWG23/BWG22/ BWG21/BWG20/ BWG19/BWG18
	600mm	
	800mm	
	1000mm	
	1200mm	
	1500mm	
	1800mm	
	2000mm	



1-1/2" (41mm). 5m/10m/25m/30m/50m

Opening	Height	Thickness
1-1/2"	500mm	BWG22/BWG21/ BWG20/BWG19/ BWG18
	600mm	
	800mm	
	1000mm	
	1200mm	
	1500mm	
	1800mm	
	2000mm	

2" (51mm). 5m/10m/25m/30m/50m

Opening	Height	Thickness
2"	500mm	BWG22/BWG21/ BWG20/BWG19/ BWG18
	600mm	
	800mm	
	1000mm	
	1200mm	
	1500mm	
	1800mm	
	2000mm	



PVC Coated Hexagonal Wire Netting

•PVC Coated Before Weaving

•PVC Coated After Weaving

1/2" (13mm). 5m/10m/25m/30m/50m

Opening	Height	Thickness
1/2"	500mm	0.40/0.80mm 0.50/0.90mm 0.55/0.95mm 0.60/1.00mm
	600mm	
	800mm	
	1000mm	
	1200mm	
	1500mm	
	1800mm	
	2000mm	




5/8" (16mm). 5m/10m/25m/30m/50m

Opening	Height	Thickness
5/8"	500mm	0.50/0.90mm 0.55/0.95mm 0.60/1.00mm 0.70/1.10mm
	600mm	
	800mm	
	1000mm	
	1200mm	



3/4" (20mm). 5m/10m/25m/30m/50m


Opening	Height	Thickness
3/4"	500mm	0.50/0.90mm 0.55/0.95mm 0.60/1.00mm 0.70/1.10mm
	600mm	
	800mm	
	1000mm	
	1200mm	
	1500mm	
	1800mm	
	2000mm	



PVC Coated Hexagonal Wire Netting

1" (25mm). 5m/10m/25m/30m/50m

Opening	Height	Thickness
1"	500mm	0.60/1.00mm 0.70/1.10mm 0.80/1.20mm 0.90/1.30mm
	600mm	
	800mm	
	1000mm	
	1200mm	
	1500mm	
	1800mm	
	2000mm	



1-1/4" (31mm). 5m/10m/25m/30m/50m

Opening	Height	Thickness
1-1/4"	500mm	0.60/1.00mm 0.70/1.10mm 0.80/1.20mm 0.90/1.30mm
	600mm	
	800mm	
	1000mm	
	1200mm	
	1500mm	
	1800mm	
	2000mm	



1-1/2" (41mm). 5m/10m/25m/30m/50m

Opening	Height	Thickness
1-1/2"	500mm	0.70/1.10mm 0.80/1.20mm 0.90/1.30mm 1.00/1.40mm 1.20/1.60mm
	600mm	
	800mm	
	1000mm	
	1200mm	
	1500mm	
	1800mm	
	2000mm	

2" (51mm). 5m/10m/25m/30m/50m

Opening	Height	Thickness
2"	500mm	0.80/1.20mm 0.90/1.30mm 1.00/1.40mm 1.20/1.60mm
	600mm	
	800mm	
	1000mm	
	1200mm	
	1500mm	
	1800mm	
	2000mm	



Black Shaped Net


Diameter	Height	Pc. x pack
mm	cm	pcs
25	19	25
35	26	25
40	27	25
45	30	25
50	39	25
55	45	20
60	48	20
65	51	20
75	56	20
85	62	10



Black Wire Hexagonal Netting

Mesh	Thickness	Height
mm	mm	cm
51	7(1.0)	30/40/50/60
51	7(1.1)	30/40/50/60
51	8(1.2)	40/50/60/70
51	9(1.3)	40/50/60/70/80/90/100/120
51	10(1.4)	50/60/70/80/90/100/120

triple twist with sliding selvage





Character:Environment,Bio-degradable,Innocuousness,Non-toxic



Field Fence

Thickness: 1.7/2.2mm, 1.8/2.2mm, 1.9/2.5mm
2.0/2.5mm, 2.2/3.0mm, 2.5/3.4mm

Size	Height	Length
8x15	1.02m	50m/100m
9x15	1.25m	50m/100m
10x15	1.20m	50m/100m
11x15	1.42m	50m/100m
12x15	1.60m	50m/100m
13x15	1.83m	50m/100m
14x15	2.03m	50m/100m
8x30	1.02m	50m/100m
9x30	1.22m	50m/100m
10x30	1.20m	50m/100m
11x30	1.42m	50m/100m
12x30	1.60m	50m/100m
13x30	1.83m	50m/100m
14x30	2.03m	50m/100m






Tel: +86-311-86662196/86661618 Fax: +86-311-86662200 www.hebeiyilong.com
B-1904 Century Ark Building, 91 Guang An Street, Shijiazhuang Hebei China yilong@188.com



Galvanized Welded Mesh

- Hot Dip Galvanized Before Weaving
- Hot Dip Galvanized After Weaving
- Electric Galvanized Before Weaving
- Electric Galvanized After Weaving



Mesh(Inch)	Mesh(mm)	Thickness(mm)	Width(m)	Length(m)	Opening
1/4" x 1/4"	6x6	0.55	0.5,0.6,0.8,1.0,1.2	5,10,25	
		0.60			
		0.65			
		0.70			
3/8" x 3/8"	10x10	0.70	0.5,0.6,0.8,1.0,1.2	5,10,25	
		0.80			
		0.90			
		1.00			
1/2" x 1/2"	12x12	0.80	0.5,0.6,0.8,1.0,1.2 1.5,1.8,2.0	5,10,25	
		1.00			
		1.20			
		1.40			
5/8" x 5/8"	16x16	0.90	0.5,0.6,0.8,1.0,1.2	5,10,25	
		1.00			
		1.10			
		1.20			
3/4" x 3/4"	19x19	1.00	0.5,0.6,0.8,1.0,1.2 1.5,1.8,2.0	5,10,25	
		1.20			
		1.40			
		1.60			
1" x 1/2"	25x12	1.20	0.5,0.6,0.8,1.0,1.2 1.5,1.8,2.0	5,10,25	
		1.50			
		1.70			
		1.80			
1" x 1"	25x25	1.20	0.5,0.6,0.8,1.0,1.2 1.5,1.8,2.0	5,10,25	
		1.50			
		1.80			
		2.00			

Galvanized Welded Mesh



Mesh(Inch)	Mesh(mm)	Thickness(mm)	Width(m)	Length(m)	Opening
1" x 2"	25x50	1.20	0.5,0.6,0.8,1.0,1.2 1.5,1.8,2.0	5,10,25	
		1.50			
		1.80			
		2.00			
2" x 1/2"	50x12	1.20	0.5,0.6,0.8,1.0,1.2 1.5,1.8,2.0	5,10,25	
		1.50			
		1.70			
		1.80			
2" x 1"	50x25	1.20	0.5,0.6,0.8,1.0,1.2 1.5,1.8,2.0	5,10,25	
		1.50			
		1.80			
		2.00			
2" x 2"	50x50	1.80	0.6,0.8,1.0,1.2 1.5,1.8,2.0	5,10,25	
		2.00			
		2.50			
		2.80			
3" x 1/2"	75x12	1.50	0.6,0.8,1.0,1.2 1.5,1.8,2.0	25	
		1.80			
		1.90			
		2.00			
3" x 2"	75x50	1.80	0.6,0.8,1.0,1.2 1.5,1.8,2.0	25	
		2.00			
		2.50			
		2.80			
4" x 3"	100x75	1.80	0.6,0.8,1.0,1.2 1.5,1.8,2.0,2.5	25	
		2.00			
		2.50			
		3.00			



PVC coated welded mesh




Mesh(Inch)	Mesh(mm)	Thickness(mm)	Width(m)	Length(m)
1/2"x 1/2"	12x12	0.7/1.1	0.5,0.6,0.8,1.0,1.2	5,10,25
		0.8/1.2		
		1.0/1.4		
3/4"x 3/4"	19x19	0.7/1.1	0.5,0.6,0.8,1.0,1.2	5,10,25
		0.8/1.2		
		1.0/1.4		
1"x 1"	25x25	0.9/1.3	0.5,0.6,0.8,1.0,1.2	5,10,25
		1.2/1.8		
		1.5/2.0		
1"x 2"	25x50	1.7/2.1	0.5,0.6,0.8,1.0,1.2 1.5,1.8,2.0	5,10,25
		1.8/2.2		
		1.9/2.4		
2"x 1"	50x25	1.7/2.2	0.5,0.6,0.8,1.0,1.2 1.5,1.8,2.0	5,10,25
		1.8/2.3		
		1.9/2.4		
2"x 2"	50x50	1.9/2.4	0.5,0.6,0.8,1.0,1.2 1.5,1.8,2.0,2.5	10,25
		2.0/2.5		
		2.5/3.0		
3"x 2"	75x50	1.7/2.2	0.6,0.8,1.0,1.2 1.5,1.8,2.0,2.5	10,25
		1.8/2.3		
		2.0/2.5		

Eurofence



Mesh(Inch)	Mesh(mm)	Thickness(mm)	Width(m)	Length(m)	Opening
3" x 2"	75x50	1.8/2.3	0.6,0.8,1.0,1.2 1.5,1.8,2.0,2.5	25	
		1.9/2.4			
		2.0/2.5			
4" x 2"	100x50	1.8/2.3	0.6,0.8,1.0,1.2 1.5,1.8,2.0,2.5	25	
		1.9/2.4			
		2.0/2.5			

Fortifence

Mesh(Inch)	Mesh(mm)	Thickness(mm)	Width(m)	Length(m)	Opening
2" x 2"	50x50	1.9/2.4	0.6,0.8,1.0,1.2 1.5,1.8,2.0,2.5	25	
		2.0/2.5			
		2.5/3.0			
2" x 2.5"	50x63	2.0/2.5	1.0,1.2,1.5 1.8,2.0,2.5	25	
		2.5/3.0			



Chainlink Fence



PVC Coated Chainlink Fence

Mesh	Thickness	Height
30x30mm	1.5/2.2mm,1.6/2.5mm	1.0m,1.2m,1.5m 1.8m,2.0m,2.5m 3.0m,4.0m,5.0m 6.0m
45x45mm	1.5/2.2mm,1.6/2.5mm 1.8/2.7mm	
50x50mm	1.6/2.5mm,1.8/2.7mm 1.9/2.9mm,2.0/3.0mm 2.5/4.0mm	
55x55mm		
60x60mm		
65x65mm		



Galvanized Chainlink Fence

Mesh	Thickness	Height
30x30mm	1.4mm/1.5mm/1.6mm	1.0m,1.2m,1.5m 1.8m,2.0m,2.5m 3.0m,4.0m,5.0m 6.0m
45x45mm	1.5mm/1.6mm/1.7mm 1.8mm	
50x50mm	1.6mm/1.7mm/1.8mm 1.9mm/2.0mm/2.2mm 2.5mm/3.0mm	
55x55mm		
60x60mm		
65x65mm		



Border Fence



Mesh	Height	Length
90x150mm	0.40m	10m/25m
90x150mm	0.65m	10m/25m
90x150mm	0.90m	10m/25m
90x150mm	1.20m	10m/25m



Garden Fence Welded

Mesh	Height	Length
90x150mm	14 inch	20 feet





Gabion

Hot Dip Galvanized Gabion		
Mesh(mm)	Size(m)	Wire dia(mm)
60x80	1.5x1x1	2.2
60x80	2x1x0.5	2.2
60x80	2x1x1	2.2
60x80	3x1x0.5	2.2
60x80	3x1x1	2.2
80x100	1.5x1x1	2.7,3.0
80x100	2x1x0.5	2.7,3.0
80x100	2x1x1	2.7,3.0
80x100	3x1x0.5	2.7,3.0
80x100	3x2x0.5	2.7,3.0
80x100	3x2x1	2.7,3.0
80x100	4x1x0.5	2.7,3.0
80x100	4x1x1	2.7,3.0
80x100	4x2x0.5	2.7,3.0
80x100	4x2x1	2.7,3.0

PVC Coated Gabion		
Mesh(mm)	Size(m)	Wire dia(mm)
80x100	1.5x1x1	2.7/3.7
80x100	2x1x0.5	2.7/3.7
80x100	2x1x1	2.7/3.7

Rockfall net			
Mesh(mm)	Width(m)	Length(m)	Wire dia(mm)
80x100	1,1.5,2,3,4	25,50	2.7
80x100	1,1.5,2,3,4	25,50	2.7
80x100	1,1.5,2,3,4	25,50	2.7
80x100	1,1.5,2,3,4	25,50	2.7

Mattress		
Mesh(mm)	Size(m)	Wire dia(mm)
60x80	3x2x0.23	2.2
60x80	3x2x0.3	2.2
60x80	4x2x0.3	2.2
60x80	5x2x0.3	2.2
60x80	6x2x0.3	2.2




Gabion

Galvanized welded gabion		
Mesh(cm)	Size(cm)	Wire dia(mm)
5x5	80x20x20	3.5,4
5x5	100x20x20	3.5,4
5x5	150x20x20	3.5,4
5x5	200x20x20	3.5,4
5x5	250x20x20	3.5,4
5x10	30x30x30	4
5x10	40x40x40	4
5x10	80x40x40	4
5x10	100x40x30	4
5x10	100x80x40	4
5x10	150x100x30	4
5x10	200x50x50	4
10x10	60x60x60	4
10x10	100x50x30	4
10x10	100x80x30	4
10x10	100x100x50	4
10x10	150x50x50	4
10x10	200x50x50	4



Crimped Wire Mesh

Mesh	Thickness(mm)	Width	Length(m)
4x4	0.40-0.70	3'/1.0m/4'/1.5m	9/15/20/25/30
6x6	0.50-0.80	3'/1.0m/4'/1.5m	9/15/20/25/30
8x8	0.55-0.90	3'/1.0m/4'/1.5m	9/15/20/25/30
10x10	0.60-1.00	3'/1.0m/4'/1.5m	9/15/20/25/30
12x12	0.70-1.10	3'/1.0m/4'/1.5m	9/15/20/25/30
15x15	1.10-1.50	3'/1.0m/4'/1.5m	9/15/20/25/30
20x20	1.50-2.00	3'/1.0m/4'/1.5m	9/15/20/25/30
25x25	1.80-2.50	3'/1.0m/4'/1.5m	9/15/20/25/30
30x30	2.00-2.80	3'/1.0m/4'/1.5m	9/15/20/25/30
40x40	2.00-2.80	3'/1.0m/4'/1.5m	9/15/20/25/30
50x50	2.80-4.00	3'/1.0m/4'/1.5m	9/15/20/25/30



Galvanized Wire Netting

Mesh	Thickness(mm)	Width	Length(m)
2	1.2/1.0	3'/1.0m/4'/1.5m	15/25/30
3	1.0/0.90/0.80	3'/1.0m/4'/1.5m	15/25/30
4	0.90/0.80/0.70/0.65	3'/1.0m/4'/1.5m	15/25/30
5	0.70/0.60/0.55/0.50	3'/1.0m/4'/1.5m	15/25/30
6	0.70/0.60/0.55/0.45	3'/1.0m/4'/1.5m	15/25/30
8	0.60/0.55/0.51/0.45/0.40	3'/1.0m/4'/1.5m	15/25/30
10	0.60/0.50/0.40/0.30	3'/1.0m/4'/1.5m	15/25/30
12	0.60/0.50/0.40/0.30/0.25	3'/1.0m/4'/1.5m	15/25/30
14	0.60/0.50/0.40/0.30/0.25/0.23/0.21	3'/1.0m/4'/1.5m	15/25/30
16	0.60/0.50/0.40/0.30/0.25/0.23/0.21	3'/1.0m/4'/1.5m	15/25/30
18	0.40/0.35/0.30/0.25/0.23/0.21	3'/1.0m/4'/1.5m	15/25/30
20	0.40/0.35/0.30/0.25/0.23/0.21	3'/1.0m/4'/1.5m	15/25/30
22	0.25/0.23/0.21/0.19/0.17	3'/1.0m/4'/1.5m	15/25/30
24	0.25/0.23/0.21/0.19/0.17	3'/1.0m/4'/1.5m	15/25/30
28	0.23/0.21/0.19/0.17	3'/1.0m/4'/1.5m	15/25/30
30	0.23/0.21/0.19/0.17	3'/1.0m/4'/1.5m	15/25/30
40	0.23/0.21/0.19/0.17	3'/1.0m/4'/1.5m	15/25/30
50	0.21/0.19/0.17	3'/1.0m/4'/1.5m	15/25/30
60	0.17/0.16	3'/1.0m/4'/1.5m	15/25/30




Stainless Steel Wire Mesh


Material: AISI302,AISI304,AISI304L,ALSI316,AISI316L

Width: 0.60-1.5m

Length: 15m,30m,50m,100m



Plain Weave



Twilled Weave



Plain Dutch Weave



Twilled Dutch Weave

Mesh/inch	Thickness(mm)	Aperture(mm)	Mesh/Inch	Thickness(mm)
1x1	2.030	23.37	50x50	0.230
2x2	1.600	11.10	50x50	0.210
3x3	1.370	7.10	60x60	0.190
4x4	1.600	4.75	60x60	0.180
4x4	1.190	5.16	70x70	0.170
5x5	1.040	4.04	80x80	0.170
6x6	0.890	3.34	80x80	0.140
8x8	0.710	2.47	90x90	0.130
10x10	0.640	1.90	100x100	0.110
10x10	0.510	2.03	100x100	0.100
12x12	0.580	1.54	100x100	0.090
12x12	0.510	1.61	110x110	0.100
14x14	0.580	1.23	120x120	0.090
14x14	0.510	1.30	150x150	0.070
16x16	0.450	1.14	160x160	0.060
18x18	0.430	0.98	180x180	0.058
20x20	0.510	0.76	200x200	0.053
20x20	0.410	0.86	250x250	0.040
24x24	0.360	0.70	270x270	0.040
30x30	0.330	0.52	300x300	0.038
30x30	0.310	0.54	325x325	0.036
30x30	0.230	0.62	400x400	0.025
35x35	0.280	0.45	500x500	0.025
40x40	0.250	0.48	635x635	0.020



Brass/Copper/Bronze Wire Mesh

Mesh	Thickness(mm)	Aperture(mm)
2x2	1.61	11.09
4x4	0.91	5.44
6x6	0.71	3.52
8x8	0.50	2.68
10x10	0.50	2.04
12x12	0.45	1.67
14x14	0.40	1.41
16x16	0.30	1.29
18x18	0.25	1.16
20x20	0.25	1.02



Mesh	Thickness(mm)	Aperture(mm)	Mesh	Thickness(mm)	Aperture(mm)
30x30	0.21	0.64	120x120	0.090	0.12
40x40	0.19	0.45	130x130	0.070	0.13
50x50	0.15	0.36	140x140	0.070	0.11
60x60	0.15	0.27	150x150	0.060	0.11
70x70	0.13	0.23	160x160	0.060	0.10
80x80	0.12	0.20	180x180	0.053	0.09
90x90	0.11	0.17	200x200	0.053	0.07
100x100	0.10	0.15	22x220	0.050	0.07
110x110	0.09	0.14			


Aluminium Screen

Mesh	Thickness	widthxLength
14x14	BWG32	3'X100',1.0X30M 4'X100',1.5X30M
16x16	BWG32,BWG33	
18x14	BWG33,BWG34	
18x16	BWG33,BWG34	
18x18	BWG33,BWG34	



Fiber Glass Screen

Mesh	Thickness	widthxLength
14x14	BWG31	3'X100',1.0X30M 4'X100',1.5X30M
16x16	BWG32	
18x16	BWG32,BWG33	
18x18	BWG33,BWG34	




Dutch Wire Mesh

Material: Sus302,304,304L,316,316L,Brass,Low Carbon Steel

Plain Dutch Weaving

Mesh	Thickness	Aperture	Weight
(mesh)	(mm)	(μm)	(kg/m ²)
7x40	0.9x0.71	347	6.65
8x45	0.8x0.6	310	5.70
10x90	0.45x0.28	249	2.57
12x64	0.56x0.4	211	3.89
14x110	0.355x0.25	177	2.28
20x140	0.315x0.20	133	1.97
20x110	0.355x0.25	126	2.47
24x110	0.355x0.25	97	2.60
30x150	0.25x0.18	82	1.79
40x200	0.18x0.135	63	1.24
50x300	0.16x0.09	55	0.98
60x500	0.14x0.055	51	0.70
70x930	0.10x0.03	30	0.39
80x700	0.125x0.04	40	0.60
80x600	0.1x0.45	37	0.53
80x430	0.125x0.063	32	0.77
100x120	0.063x0.023	23	0.27
118x750	0.063x0.036	23	0.38



Twil Ducth Weaving

Mesh	Thickness	Aperture	Weight
(mesh)	(mm)	(μm)	(kg/m ²)
20x270	0.25x0.2	119	3.14
24x300	0.28x0.18	110	3.01
20x150	0.45x0.355	101	6.02
30x270	0.28x0.20	77	3.41
40x540	0.18x0.10	70	1.73
50x600	0.125x0.09	51	1.47
70x600	0.14x0.09	31	1.61
80x680	0.112x0.08	28	1.38
90x850	0.10x0.063	26	1.12
100x850	0.10x0.063	22	1.14
130x1100	0.071x0.05	17	0.87
150x1400	0.063x0.04	15	0.71
160x1500	0.063x0.036	15	0.67
203x1600	0.05x0.032	10	0.58



Mesh	Thickness	Aperture	Weight
(mesh)	(mm)	(μm)	(kg/m ²)
250x1600	0.05x0.032	8	0.63
300x2100	0.036x0.025	6	0.44
325x2300	0.036x0.024	4	0.44
400x2700	0.028x0.02	4	0.36
500x3500	0.025x0.015	3	0.30



WIRE

Garden Twist Tie Wire

- 1). PVC coated

Wire	2.50mm(0.4mm)
Length	20m,25m,30m,50m,100m



Tie Wire With Axle

- 1). PVC coated
- 2). hot dip galvanized
- 3). paint

Thickness(mm)	Length(m)
0.65	30



Wire With Spool

- 1). galvanized steel wire
- 2). brass wire
- 3). copper wire
- 4). stainless steel wire

Thickness(mm)	Length(m)
0.3	50
0.4	30
0.5	20
0.6	15



Tie Wire

- 1). galvanized steel wire
- 2). brass wire
- 3). copper wire
- 4). stainless steel wire

Thickness(mm)	Length(m)
0.6	20
0.8	12
1.0	7



WIRE

Galvanized Wire With Spring

Thickness(mm)	Length(m)
0.7	40
0.9	30
1.1	27
1.2	25
1.3	22
1.5	16
1.8	12
2.0	10
2.2	9
2.5	7



PVC Coated Wire With Spring

Thickness(mm)	Length(m)
0.6/0.9	40
0.7/1.1	25
0.8/1.2	20
1.0/1.5	16
1.3/1.8	12
1.4/2.0	12
1.6/2.2	8



Galvanized Tension Wire

Thickness(mm)	Length(m)
1.0	100
1.3	100
1.5	100
1.8	100
2.0	100
2.2	100
2.7	100
3.0	100



PVC Coated Tension Wire

Thickness(mm)	Length(m)
1.0/1.5	100
1.3/1.8	100
1.5/2.0	100
1.6/2.2	100
1.8/2.6	100
2.0/3.0	100
2.2/3.2	100
2.4/3.5	100
2.7/4.0	100



WIRE

Wire With Dispensor

- 1). galvanized wire
- 2). brass wire
- 3). copper wire
- 4). stainless steel wire

Thickness(mm)	Length(m)
0.7	75
0.8	50
0.9	50
1.0	50
1.1	50
1.2	50
1.3	50
1.4	50
1.5	50
1.6	50
1.8	50



PVC Coated Wire With Dispensor

Thickness(mm)	Length(m)
0.6/0.9	75
0.8/1.2	50
1.0/1.5	50
1.1/1.6	50



PVC Coated Wire With Plastic Suport

Thickness(mm)	Length(m)
1.1/1.5	40



WIRE

Bobbin Wire 330g

Thickness(mm)	Wire Num.
0.90	2,3
0.95	2,3
1.00	2,3



Loop Tie Wire

Wire: 0.6mm-1.5mm

Length: 3" -24"

Surface: black annealed, galvanized, PVC coated

Packing: 200pcs/500pcs/1000pcs/2000pcs per bundle



PVC Coated Wire

Thickness (mm)	Color
1.5/2.0	RAL6005 RAL7016 RAL9005
1.6/2.2	
1.7/2.4	
1.8/2.6	
2.0/3.0	
2.2/3.2	
2.4/3.5	
2.7/4.0	

Packing: 300-500kg/coil



Galvanized Wire

Wire dia:	0.6-6.0mm
E.GALV.:	10-20grams/m ²
H.D.GALV.:	30-360grams/m ²

Packing: 300kgs to 800kgs/coil



BARBED WIRE

Galvanized barbed wire

Distance	Thickness(mm)	Length(m)	Twist
4" or 5"	1.4	50,100 200,250 500,845	Normal/Reversed
	1.6		Normal/Reversed
	1.7		Normal/Reversed
	1.8		Normal/Reversed
	1.9		Normal/Reversed
	2.0		Normal/Reversed
	2.1		Normal
	2.2		Normal
	2.5		Normal
	2.7		Normal



PVC coated barbed wire

Distance	Thickness(mm)	Length(m)	Twist
4" or 5"	1.0/1.7	50,100 200,250	Normal
	1.4/2.0		Normal
	1.5/2.2		Normal
	1.9/2.7		Normal



RAZOR WIRE




Type	Blade style	Blade	Wire dia	Barb length	barb width	barb spacing
BTO-12		0.5 ± 0.05	2.5 ± 0.1	12 ± 1	13 ± 1	26 ± 1
BTO-18		0.5 ± 0.05	2.5 ± 0.1	18 ± 1	15 ± 1	33 ± 1
BTO-22		0.5 ± 0.05	2.5 ± 0.1	22 ± 1	15 ± 1	34 ± 1
BTO-28		0.5 ± 0.05	2.5 ± 0.1	28 ± 1	15 ± 1	45 ± 1
BTO-30		0.5 ± 0.05	2.5 ± 0.1	30 ± 1	18 ± 1	45 ± 1
CBT-65		0.6 ± 0.05	2.5 ± 0.1	65 ± 1	21 ± 1	100 ± 2

Outside diameter	No.of Loops	Standard length per coil	Type	Notes
450MM	33	7M-8M	CBT-65	single coil
500MM	41	10M	CBT-65	single coil
700MM	41	10M	CBT-65	single coil
960MM	54	11M-15M	CBT-65	single coil
500MM	102	15M-18M	BTO-12,18,22,28,30	Cross type
600MM	86	13M-16M	BTO-12,18,22,28,30	Cross type
700MM	72	12M-15M	BTO-12,18,22,28,30	Cross type
800MM	64	13M-15M	BTO-12,18,22,28,30	Cross type
900MM	54	12M-15M	BTO-12,18,22,28,30	Cross type

RAZOR FENCE

Size	Opening	Height	Length
BTO-22	75x150, 150x300, 150x200	1.0-4.0m	2m-200m
BTO-30			



NAILS



Common nails

Size: 1/2" - 1-1/4"

Surface: Polished(bright) , Electro galvanized , Hot dip galvanized

Packing: 5kgs/carton or 25kgs/carton or as requested.



Concrete nails

Size: 1/2" - 1-1/4"

Surface: Black, Galvanized

Packing: 5kgs/carton or 20kgs/carton or as requested.



Roofing nails

Size: 1/2" - 1-1/4"

Surface: Polished(bright) , Electro galvanized , Hot dipped galvanized

Packing: 5kgs/carton or 25kgs/carton or as requested.



U nails

Size: 1/2" - 1-1/4"

Surface: Polished(bright) , Electro galvanized , Hot dip galvanized

Packing: 25kgs/carton or as requested.



Coil roofing nails

Size: 3/4" - 1-3/4"

Surface: Electro galvanized

Packing: 7200 pcs/carton then with pallet



Strip nails

Size: 2" - 3-1/2"



Surface: Electric galvanized

Packing: 25pcs/strip or 34pcs/strip then with carton and pallet.

CORNER BEAD

YL-AB8002		Common Angle Bead Material: Stainless Steel Galvanized Steel Length: 2.4m, 2.7m, 3.0m Width: 45mm, 50mm Opening Size: 12.5X25mm
YL-AB8003		Common Angle Bead Material: Stainless Steel Galvanized Steel Length: 2.4m, 2.7m, 3.0m Width: 55mm Opening Size: 12.5X25mm
YL-AB1011		Dry Wall Angle Bead Material: Stainless Steel Galvanized Steel Length: 2.4m, 2.7m, 3.0m Width: 20mm Thickness: 3mm, 5mm
YL-AB1012		Dry Wall Angle Bead Material: Stainless Steel Galvanized steel Length: 2.4m, 2.7m, 3.0m Width: 25mm Thickness: 3mm, 5mm
YL-AB1015		Dry Wall Angle Bead Material: Stainless Steel Galvanized Steel Length: 2.4m, 2.7m, 3.0m Width: 25mm Thickness: 3mm, 5mm

EXPAND MESH

YL-AB1016		Dry Wall Angle Bead Material: Stainless Steel Galvanized Steel Length: 2.4m, 2.7m, 3.0m Width: 25mm Opening Size: 12.5X25mm
YL-AB1028		Expanded Metal Lath Material: Stainless Steel Galvanized Steel Size: 0.6x2.5m Thickness: 0.30mm, 0.35mm 0.40mm, 0.45mm
YL-AB1011		Metal Lath Material: Stainless Steel Galvanized Steel Length: 2.2m, 2.5m Width: 0.45m Thickness: 0.30mm, 0.35mm 0.40mm, 0.45mm, 0.5mm



CONSTRUCTION PANEL



Specification:


Panel mesh: 50X50mm

Four corner mesh: 100X100mm


Four perimeter mesh: 50X100mm

Size: 2x1m

Wire dia : 1.3mm, 1.5mm, 1.7mm, 2.0mm



Flat



Ripples




Tel: +86-311-86662196/86661618 Fax: +86-311-86662200 www.hebeiyilong.com
B-1904 Century Ark Building, 91 Guang An Street, Shijiazhuang Hebei China yilong@188.com

3D Panel



Surface	Powder Coating
	PE Coating
	Hot Dip Galvanized
Gauge	φ4.0mm
	φ4.5mm
	φ5.0mm
Opening	200x50mm
	100x50mm
Length	2200mm
	2500mm



Square Post



Round Post



Pit Post

2D PANEL

Surface: Powder Coating
Hot Dip Galvanized
Opening: 200X50mm
Gauge: $\Phi 6/5/6\text{mm}$, $\Phi 8/6/8\text{mm}$

Height(mm)	Length(mm)
1030	2500
1230	2500
1430	2500
1630	2500
1830	2500
2030	2500



Different clips for 2D Panel



DECORATIVE PANEL (Ark)

Surface: Powder Coating
Opening: 200X65mm

Height(mm)	Length(mm)	Gauge(mm)
960-1083	2015	$\phi 4$, $\phi 5$, $\phi 6$
1160-1283	2015	$\phi 4$, $\phi 5$, $\phi 6$
1360-1483	2015	$\phi 4$, $\phi 5$, $\phi 6$
1560-1683	2015	$\phi 4$, $\phi 5$, $\phi 6$
1760-1883	2015	$\phi 4$, $\phi 5$, $\phi 6$
1960-2083	2015	$\phi 4$, $\phi 5$, $\phi 6$



DECORATIVE PANEL

Surface: Powder Coating
Opening: 200 x 65mm

Height(mm)	Length(mm)	Gauge(mm)
960	2015	φ4, φ5, φ6
1160	2015	φ4, φ5, φ6
1360	2015	φ4, φ5, φ6
1560	2015	φ4, φ5, φ6
1760	2015	φ4, φ5, φ6
1960	2015	φ4, φ5, φ6



EURO-PANEL

Surface: Powder Coating
Opening: 250 x 50mm

Height(mm)	Length(mm)	Gauge(mm)
500	2000	8/6/4
750	2000	8/6/4
1000	2000	8/6/4
1250	2000	8/6/4
1750	2000	8/6/4



SECURITY FENCE

Surface: Powder Coating
Opening: 76.2 x 12.7mm

Height(mm)	Length(mm)	Gauge(mm)
1500	2200, 2500	φ3, φ4
1800	2200, 2500	φ3, φ4
2000	2200, 2500	φ3, φ4
3000	2200, 2500	φ3, φ4
4000	2200, 2500	φ3, φ4



POST

ROUND POST

Outer Dia(mm)	Thickness(mm)	Height(mm)
Φ32	1.0, 1.2, 1.5	800-2000
Φ34	1.0, 1.2, 1.5	800-2000
Φ38	1.0, 1.2, 1.5	800-2000
Φ40	1.0, 1.2, 1.5	800-2500
Φ48	1.5, 2.0	800-3000
Φ60	1.5, 2.0	800-3000



SQUARE POST

Outer Dia(mm)	Thickness(mm)	Height(mm)
40x40	1.2, 1.5	800-2500
60x40	1.5, 2.0	800-3000
60x60	1.5, 2.0	800-3000
80x80	1.5, 2.0, 2.5	800-3000
100x100	2.0, 2.5	800-3000



PIT POST

Outer Dia(mm)	Thickness(mm)	Height(mm)
Φ48	1.2, 1.5	800-2500
Φ60	1.5, 2.0	1500-3000



POST

T-POST



Size(mm)	Thickness(mm)	Height(mm)
30x30	3.0, 3.5	1250
		1500
		1750
		2000
35x35	3.5, 4.0	2000
		2250
		2500

T-POST(American type)



Light	Medium	Heavy
0.95 lb X 5'	1.25 lb X 5'	1.33 lb X 5'
0.95 lb X 6'	1.25 lb X 6'	1.33 lb X 6'
0.95 lb X 7'	1.25 lb X 7'	1.33 lb X 7'
0.95 lb X 8'	1.25 lb X 8'	1.33 lb X 8'

L-POST



Size(mm)	Thickness(mm)	Height(mm)
25x25	1.5, 2.0	1200
		1500
		2000

POST

V-POST



Outer Dia(mm)	Thickness(mm)	Height(mm)
70x80	1.5	800-2500

U-POST



Type	Thickness(mm)	Height
Light type	1.7	3'
		4'
		5'
		6'
Heavy type	2.0	5'
		6'
		7'
		8'

Y-POST



Thickness(mm)	Weight(kg/m)	Height(mm)
3.0-3.5	1.58 1.86 1.90 2.04	900
		1350
		1500
		1650
		1800
		2400




ACCESSORIES

Strainer

Item	Size	Photo
YL304	No.2	
	No.3	
	No.4	
YL305	No.2	
YL306	No.2	
YL307	No.2	
YL308	No.3	
	No.4	
YL309	No.2	
YL310	No.2	
YL311	No.2	
YL312	No.2	

ACCESSORIES



	Plastic Φ32mm, Φ34mm Φ38mm, Φ40mm Φ48mm , Φ60mm		Plastic Φ38mm
	Plastic Φ32mm, Φ34mm Φ38mm, Φ40mm Φ48mm , Φ60mm		Aluminium Φ34mm
	Plastic 40x40mm 40x60mm 60x60mm 80x80mm		Galvanized Stainless steel 71x71mm 91x91mm 101x101mm
	Plastic 40x40mm 40x60mm 60x60mm 80x80mm		Copper plated 71x71mm 91x91mm 101x101mm
	Φ48mm Φ60mm		Powder coating 71x71mm 91x91mm 101x101mm
	Φ38mm		Stainless steel 71x71mm 91x91mm 101x101mm





Clamps For Panel

	Middle metal clamp 60x40mm, 60x60mm 80x80mm		End plastic clamp Φ38mm, Φ48mm Φ60mm
	Corner metal clamp 60x40mm, 60x60mm 80x80mm		Plastic clamp Φ48mm
	End metal clamp 60x40mm, 60x60mm 80x80mm		Fixator 40x40mm, 40x60mm 60x60mm
	End metal clamp 60x40mm		Spider clamp 40x40, 40x60 60x60mm
	End metal clamp 60x40mm		Metal clamp 40x40, 40x60 60x60mm
	End plastic clamp 60x40mm, 60x60mm		Metal clamp 40x60mm
	Middle plastic clamp Φ38mm, Φ48mm Φ60mm		Clamp for pit post Φ48mm, Φ60mm
	Hooks for panel M8x80mm		Clips for panel

ACCESSORIES

Clips for mesh

	$\Phi 34\text{mm}, \Phi 38\text{mm}$	 	M Clips for pliers
	$\Phi 34\text{mm}, \Phi 38\text{mm}$		
	$\Phi 34\text{mm}, \Phi 38\text{mm}$		
	Wire holder		Clips for pit post 3.0-3.5mm
	Wire holder		Tension bar
	Wire holder		Multi-stake

SETS

Chainlink fence set



Strive connect




Tension bar



Tensioner connect


SETS

Chainlink fence set 15M



Fence length	Fence height	post and strive
15m	0.80m	
15m	1.00m	
15m	1.25m	
15m	1.50m	
span wire and binding wire		tension bar
		tensioner

Chainlink fence set 25M



Fence length	Fence height	post and strive
25m	0.80m	
25m	1.00m	
25m	1.25m	
25m	1.50m	
span wire and binding wire		tension bar
		tensioner



SETS

Chain link fence set with spike



Strive spike



Tension bar



Spike insert


SETS

Chainlink fence set with spike 15M



Fence length	Fence height	post and strive	
15m	0.80m		
15m	1.00m		
15m	1.25m		
15m	1.50m		
span wire and binding wire	tension bar	spike	tensioner

Chainlink fence set with spike 25M




Fence length	Fence height	post and strive	
25m	0.80m		
25m	1.00m		
25m	1.25m		
25m	1.50m		
span wire and binding wire	tension bar	spike	tensioner



SETS

Eurofence set



Mesh




Strive connect



Cilp connect


SETS

Eurofence set 15M



Fence Length	Fence height	post and strive
15m	0.80m	
15m	1.00m	
15m	1.25m	
15m	1.50m	

Eurofence set 25M



Fence Length	Fence height	post and strive
25m	0.80m	
25m	1.00m	
25m	1.25m	
25m	1.50m	



SETS

Eurofence set with spike



Spike connect




Strive spike connect



Spike insert


SETS

Eurofence set with spike 15M



Fence Length	Fence height	post and strive	spike
15m	0.80m		
15m	1.00m		
15m	1.25m		
15m	1.50m		



Eurofence set with spike 25M



Fence Length	Fence height	post and strive	spike
25m	0.80m		
25m	1.00m		
25m	1.25m		
25m	1.50m		

SETS

Field fence set



Field fence




Z post



Connect

Z post			Field fence	
Height	Thickness	Size	Height	Length
1.2m	1.5mm	8X15	1.02m	50m/100m
1.6m	1.5mm	9X15	1.25m	50m/100m
1.6m	1.5mm	10X15	1.2m	50m/100m
1.8m	1.5mm	11X15	1.42m	50m/100m
2.0m	1.5mm	12X15	1.60m	50m/100m
2.2m	1.5mm	13X15	1.83m	50m/100m
2.4m	1.5mm	14x15	2.03m	50m/100m
1.2m	1.5mm	8X30	1.02m	50m/100m
1.6m	1.5mm	9x30	1.25m	50m/100m
1.6m	1.5mm	10x30	1.2m	50m/100m
1.8m	1.5mm	11x30	1.42m	50m/100m
2.0m	1.5mm	12x30	1.60m	50m/100m
2.2m	1.5mm	13x30	1.83m	50m/100m
2.4m	1.5mm	14x30	2.03m	50m/100m

Field Fence drawing:




PROMOTION SINGLE GATE



- o Ral6005/Ral7016/Ral9005
- o Plastic handle
- o Zn-Al lock
- o Universal key
- o Dacromet coated hinges

WidthxHeight	Mesh Infill	Leaf Frame	Post
1000x750mm	50x50/4.0mm, 200X50/5.0mm	Φ40/1.5mm	Φ60/1.5mm
1000x1000mm			
1000x1250mm			
1000x1500mm			
1000x1750mm			
1000x2000mm			

PROMOTION DOUBLE GATE



- o Ral6005/Ral7016/Ral9005
- o Plastic handle
- o Zn-Al lock
- o Universal key
- o Dacromet coated hinges
- o Dacromet coated ground bolt



WidthxHeight	Mesh Infill	Leaf Frame	Post
(1500+1500)x750mm	50x50/4.0mm, 200X50/5.0mm	Φ40/1.5mm	Φ60/1.5mmx1250mm
(1500+1500)x1000mm			Φ60/1.5mmx1500mm
(1500+1500)x1250mm			Φ60/1.5mmx1750mm
(1500+1500)x1500mm			Φ60/1.5mmx2000mm
(1500+1500)x1750mm			Φ60/1.5mmx2250mm
(1500+1500)x2000mm			Φ60/1.5mmx2500mm



COMFORT SINGLE GATE




- o Ral6005/Ral7016/Ral9005
- o Aluminium/Stainless steel handle
- o Brass core lock
- o Unique key
- o Dacromet coated/Stainless steel hinges




WidthxHeight	Mesh Infill	Leaf Frame	Post
1000x800mm	50x50/4.0mm 200X50/5.0mm	40x40/1.5mm	60x60/1.5mmx1300mm
1000x1000mm			60x60/1.5mmx1500mm
1000x1200mm			60x60/1.5mmx1700mm
1000x1400mm			60x60/1.5mmx1900mm
1000x1600mm			60x60/1.5mmx2100mm
1000x1800mm			60x60/1.5mmx2300mm
1000x2000mm			60x60/1.5mmx2500mm

COMFORT DOUBLE GATE



- o Ral6005/Ral7016/Ral9005
- o Aluminium/Stainless steel handle
- o Brass core lock
- o Unique key
- o Dacromet coated/Stainless steel hinges
- o Dacromet coated ground bolt



WidthxHeight	Mesh Infill	Leaf Frame	Post
(1500+1500)x800mm	50x50/4.0mm 200X50/5.0mm	40x40/1.5mm	60x60/2.0mmx1300mm
(1500+1500)x1000mm			60x60/2.0mmx1500mm
(1500+1500)x1200mm			60x60/2.0mmx1700mm
(1500+1500)x1400mm			60x60/2.0mmx1900mm
(1500+1500)x1600mm			60x60/2.0mmx2100mm
(1500+1500)x1800mm			60x60/2.0mmx2300mm
(1500+1500)x2000mm			60x60/2.0mmx2500mm




PREMIUM SINGLE GATE



- o Ral6005/Ral7016/Ral9005
- o Aluminium/Stainless steel handle
- o Brass core lock
- o Unique key
- o Dacromet coated/Stainless steel hinges

WidthxHeight	Mesh Infill	Leaf Frame	Post
1000x800mm	200x50mm 6/5/6mm	40x40/1.5mm	60x60/1.5mmx1300mm
1000x1000mm			60x60/1.5mmx1500mm
1000x1200mm			60x60/1.5mmx1700mm
1000x1400mm			60x60/1.5mmx1900mm
1000x1600mm			60x60/1.5mmx2100mm
1000x1800mm			60x60/1.5mmx2300mm
1000x2000mm			60x60/1.5mmx2500mm

PREMIUM DOUBLE GATE



- o Ral6005/Ral7016/Ral9005
- o Aluminium/Stainless steel handle
- o Brass core lock
- o Unique key
- o Dacromet coated/Stainless steel hinges
- o Dacromet coated ground bolt



WidthxHeight	Mesh Infill	Leaf Frame	Post
3000x800mm	200x50mm 6/5/6mm	40x40/1.5mm	80x80/2.0mmx1300mm
3000x1000mm			80x80/2.0mmx1500mm
3000x1200mm			80x80/2.0mmx1700mm
3000x1400mm			80x80/2.0mmx1900mm
3000x1600mm			80x80/2.0mmx2100mm
3000x1800mm			80x80/2.0mmx2300mm
3000x2000mm			80x80/2.0mmx2500mm




STANDARD SINGLE GATE



- o Ral6005/Ral7016/Ral9005
- o Aluminium/Stainless steel handle
- o Brass core lock
- o Unique key
- o Dacromet coated/Stainless steel hinges

WidthxHeight	Mesh Infill	Leaf Frame	Post
1000x750mm	50x50/4.0mm	Φ40/1.5mm	Φ60/1.5mmx1250mm
1000x1000mm			Φ60/1.5mmx1500mm
1000x1250mm			Φ60/1.5mmx1750mm
1000x1500mm			Φ60/1.5mmx2000mm
1000x1750mm			Φ60/1.5mmx2250mm
1000x2000mm			Φ60/1.5mmx2500mm

STANDARD DOUBLE GATE



- o Ral6005/Ral7016/Ral9005
- o Aluminium/Stainless steel handle
- o Brass core lock
- o Unique key
- o Dacromet coated/Stainless steel hinges
- o Dacromet coated ground bolt



WidthxHeight	Mesh Infill	Leaf Frame	Post
(1500+1500)x750mm	50x50/4.0mm	Φ40/1.5mm	Φ60/2.0mmx1250mm
(1500+1500)x1000mm			Φ60/2.0mmx1500mm
(1500+1500)x1250mm			Φ60/2.0mmx1750mm
(1500+1500)x1500mm			Φ60/2.0mmx2000mm
(1500+1500)x1750mm			Φ60/2.0mmx2250mm
(1500+1500)x2000mm			Φ60/2.0mmx2500mm



SQUARE PIPE SINGLE GATE




WidthxHeight	Mesh Infill	Leaf Frame
1000x1000mm	20x20/1.5mm	40x40/1.5mm
1000x1250mm		
1000x1500mm		
1000x1750mm		
1000x2000mm		

ECONOMIC GATE



WidthxHeight	Mesh Infill	Leaf Frame
1000x1000mm	100x50/100x100	25mm/32mm/38mm
1000x1200mm		
1000x1500mm		

3D DOUBLE GATE




- o Ral6005/Ral7016/Ral9005
- o Plastic handle
- o Zn-Al lock
- o Universal key
- o Dacromet coated hinges
- o Dacromet coated ground bolt

WidthxHeight	Mesh Infill	Leaf Frame	Post
(2000+2000)X1230mm	200X50/5.0mm	40X40/1.5mm	80X80/2.0mm
(2000+2000)X1530mm			



SUPER METAL GATE



- o Ral6005/Ral7016/Ral9005
- o Super strong lock
- o Dacromet coated/Stainless steel adjustable hinges
- o Long dacromet coated Ground bolt



WidthxHeight	Mesh Infill	Leaf Frame	Post
(2000+2000)x1500mm	200X50/5.0mm	Φ40/1.5mm	80x80/2.0mmx2000mm
(2000+2000)x1750mm			80x80/2.0mmx2250mm
(2000+2000)x2000mm			80x80/2.0mmx2500mm

PET CAGE

Portable wire cage

- *Finish:Electric or Powder Coating
- *With removeable plastic tray
- *Foldable for transfer or storage



Item No.	Size(Width x Height)	Door No.
YL-PC001	800x800cm	1
YL-PC002	1000x1000cm	2
YL-PC003	1000x1500cm	2
YL-PC004	1000x2000cm	2
YL-PC005	800x1200cm/800x700cm	2

PET CAGE

Welded wire kennel

*Finish:Black/Gray/Green powder coating

*Easy to assemble

*With roof if needed



Item No.	Size(Width x Depth x Height)	
YL-PC006	4'x4'x4.8'	
YL-PC007	4'x4'x4.8'	with roof
YL-PC008	4'x4'x6'	
YL-PC009	4'x4'x6'	with roof



PET CAGE

Welded wire kennel



- *Finish:Black/Gray/Green powder coating
- *Easy to assemble

Item No.	Size(Width x Height)	
YL-PC010	800x800cm	8pcs
YL-PC011	1000x1000cm	8pcs
YL-PC012	1000x1500cm	8pcs
YL-PC013	1000x2000cm	8pcs
YL-PC014	800x1200cm/800x700cm	4pcs
YL-PC015	1000x1200cm/1000x700cm	4pcs


Chainlink fence panel kennel

- *Finish:Hot dip Galv.
- *Easy to assemble
- *With roof if needed
- *Well assembled door
- *Assembling manual included

Item No.	Size(Width x Depth x Height)
YL-PC016	5'x5'x6'
YL-PC017	10'x5'x6'
YL-PC018	10'x10'x6'




木造住宅の構造



ANCHOR



Umbrella Spike
(Whole body style)



Item No.	A(mm)	B(mm)	Thickness(mm)
YL-N60x550	60	550	2
YL-N68x560	68	560	2
YL-N68x700	68	700	2
YL-N68x800	68	800	2

Umbrella Spike
(Joint body style)



Item No.	A(mm)	B(mm)	Thickness(mm)
YL-N68x560L	68	560	2

U Form Ground Screw




Item No.	A(mm)	B(mm)	C1/C2(mm)	D(mm)	Thickness(mm)
YL-U71x685	68	130	71/70	685	2.5/5
YL-U71x750	68	130	71/70	750	2.5/5
YL-U71x865	68	130	71/70	865	2.5/5
YL-U91x690	68	130	91/70	690	2.5/5
YL-U91x865	68	130	91/70	865	2.5/5
YL-U91x1000	68	130	91/70	1000	2.5/5
YL-U111x865	68	130	111/70	865	2.5/5
YL-U111x1000	68	130	111/70	1000	2.5/5




ANCHOR

Ground Screw



Item No.	A(mm)	B(mm)	Thickness(mm)
YL-N65x1000	65	1000	2.0&2.5
YL-N65x1200	65	1200	2.0&2.5&3.0
YL-N65x1600	65	1600	2.0&2.5&3.0
YL-N65x1800	65	1800	2.0&2.5&3.0
YL-N76x800	76	800	2.0&2.5&3.0
YL-N76x1000	76	1000	2.0&2.5&3.0
YL-N76x1200	76	1200	2.0&2.5&3.0
YL-N76x1600	76	1600	2.0&2.5&3.0
YL-N76x1800	76	1800	2.0&2.5&3.0
YL-N76x2000	76	2000	2.0&2.5&3.0
YL-N89x1000	89	1000	2.5&3.0&3.75
YL-N89x1200	89	1200	2.5&3.0&3.75
YL-N89x1600	89	1600	2.5&3.0&3.75
YL-N89x1800	89	1800	2.5&3.0&3.75
YL-N89x2000	89	2000	2.5&3.0&3.75
YL-N89x2500	89	2500	2.5&3.0&3.75
YL-N89x3000	89	3000	2.5&3.0&3.75

Ground Screw With Flange




Item No.	A(mm)	B(mm)	C(mm)	D(mm)	Thickness(mm)
YL-F76/220X1200	76	220	8	1200	3.0&3.75
YL-F76/220X1600	76	220	8	1600	3.0&3.75
YL-F76/220X1800	76	220	8	1800	3.0&3.75
YL-F76/220X2000	76	220	8	2000	3.0&3.75
YL-F76/220X2500	76	220	8	2500	3.0&3.75
YL-F76/220X3000	76	220	8	3000	3.0&3.75
YL-F76/220X3500	76	220	8	3500	3.0&3.75
YL-F88.9/220X1200	88.9	220	8	1200	3.0&3.75
YL-F88.9/220X1600	88.9	220	8	1600	3.0&3.75
YL-F88.9/220X2000	88.9	220	8	2000	3.0&3.75
YL-F88.9/220X2500	88.9	220	8	2500	3.0&3.75
YL-F88.9/220X3000	88.9	220	8	3000	3.0&3.75
YL-F114/220X1200	114	220	8	1200	3.0&3.75
YL-F114/220X1600	114	220	8	1600	3.0&3.75
YL-F114/220X1800	114	220	8	1800	3.0&3.75
YL-F114/220X2000	114	220	8	2000	3.0&3.75
YL-F114/220X2500	114	220	8	2500	3.0&3.75
YL-F114/220X3000	114	220	8	3000	3.0&3.75
YL-F114/220X3500	114	220	8	3500	3.0&3.75
YL-F168/220X2600	168	220	8	2600	5&6

ANCHOR




Square Post Anchor




Item No.	A(mm)	B(mm)	C(mm)	D(mm)	Thickness(mm)
YL-S051	51	51	100	600	2
YL-S061	61	61	150	600	2
YL-S071A	71	71	150	750	2
YL-S071B	71	71	150	900	2
YL-S081	81	81	150	750	2
YL-S091A	91	91	150	750	2
YL-S096	96	96	150	750	2
YL-S091B	91	91	150	900	2
YL-S0101	101	101	150	900	2
YL-S0121	121	121	150	900	2

Square Bottom



Item No.	A(mm)	B(mm)	C(mm)	D(mm)	Thickness(mm)
YL-B046	46	46	100	100	1.5
YL-B051	51	51	100	100	1.5
YL-B061	61	61	150	150	1.5
YL-B071	71	71	150	150	2
YL-B076	76	76	150	150	2
YL-B091	91	91	150	150	2
YL-B096	96	96	150	150	2
YL-B0101	101	101	150	150	2
YL-B0121	121	121	200	150	2

TT Form Post




Item No.	A(mm)	B(mm)	C(mm)	D(mm)	Thickness(mm)
YL-TT071	71	200	200	50	5
YL-TT081	81	200	200	50	5
YL-TT091	91	200	200	50	5
YL-TT0101	101	200	200	50	5
YL-TT0121	121	200	200	50	5
YL-TT0141	141	200	200	50	5



ANCHOR

U Form Post



Item No.	A(mm)	B(mm)	C(mm)	D(mm)	Thickness(mm)
YL-UF041	41	60	100	16/18*200	5
YL-UF046	46	60	100	16/18*200	5
YL-UF051	51	60	100	16/18*200	5
YL-UF061	61	60	100	16/18*200	5
YL-UF071	71	60	100	16/18*200	5
YL-UF076	76	60	100	16/18*200	5
YL-UF091	91	60	100	16/18*200	5
YL-UF096	96	60	100	16/18*200	5
YL-UF0101	101	60	100	16/18*200	5
YL-UF0121	121	60	100	16/18*200	5
YL-UF0141	141	60	100	16/18*200	5
YL-UF061B	61	60	120	16/18*200	5
YL-UF071B	71	60	120	16/18*200	5
YL-UF076B	76	60	120	16/18*200	5
YL-UF081B	81	60	120	16/18*200	5
YL-UF091B	91	60	120	16/18*200	5

L Form Post




Item No.	A(mm)	B(mm)	C(mm)	D(mm)	Thickness(mm)
YL-LF077	77	60	100	16/18*200	5
YL-LF084	84	60	130	16/18*200	5

Sicke Form Post



Item No.	A(mm)	B(mm)	C(mm)	Thickness(mm)
YL-U71	71	60	125	5
YL-U81	81	60	125	5
YL-U91	91	60	125	5
YL-U101	101	60	125	5
YL-U121	121	60	125	5
YL-U141	141	60	125	5

H Form Post



Item No.	A(mm)	B(mm)	C(mm)	D(mm)	Thickness(mm)
YL-H071	71	300	600	60	6
YL-H081	81	300	600	60	6
YL-H091	91	300	600	60	6
YL-H0101	101	300	600	60	6
YL-H0121	121	300	600	60	6
YL-H0141	141	300	600	60	6

ANCHOR

Ball Top



Item No.	A(mm)	B(mm)	C(mm)	Thickness(mm)
YL-B071	71	71	60	1
YL-B091	91	91	80	1

Pole Cap



Item No.	A(mm)	B(mm)	Thickness(mm)
YL-PC71	71	71	1
YL-PC81	81	81	1
YL-PC91	91	91	1
YL-PC101	101	101	1

Bolt Down Post Base



Item No.	A(mm)	B(mm)	C(mm)	Thickness(mm)
YL-BF051	51-55	100	100	1.5
YL-BF075	71-75	150	150	2
YL-BF0101	101-105	150	150	2

Concrete-in Post Anchor



Item No.	A(mm)	B(mm)	C(mm)	D(mm)	Thickness(mm)
YL-C071	71	71	150	350	2
YL-C091	91	91	150	350	2
YL-C0101	101	101	150	350	2

Fence Post Anchor



Item No.	A(mm)	B(mm)	C(mm)	Thickness(mm)
YL-F051	51-55	100	600	2
YL-F075	71-75	150	750	2
YL-F0101	101-105	150	900	2



ANCHOR

Round post Anchor



Item No.	A(mm)	B(mm)	C(mm)	Thickness(mm)
YL-R71	71	150	750	2
YL-R81	81	150	750	2
YL-R91	91	150	750	2
YL-R101	101	150	750	2
YL-R121	121	150	750	2

Round Bottom



Item No.	A(mm)	B(mm)	C(mm)	Thickness(mm)
YL-RB71	71	150	150	2
YL-RB81	81	150	150	2
YL-RB91	91	150	150	2
YL-RB101	101	150	150	2
YL-RB121	121	150	150	2


Double Bottom



Item No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)	Thickness(mm)
YL-DB71	71	71	150	100	340	2
YL-DB80	80	60	150	100	340	2



ANCHOR



Round Post Anchor



Item No.	A(mm)	B(mm)	C(mm)	Thickness(mm)
YL-R34	150	34	500	2
YL-R38	150	38	500	2

Round Post Anchor




Item No.	A(mm)	B(mm)	C(mm)	Thickness(mm)
YL-RF34	100	34	500	2
YL-RF38	100	38	500	2

L Form Post Anchor



Item No.	A(mm)	B(mm)	C(mm)	Thickness(mm)
YL-LA	50	291	383	2


Anchor



A(mm)	B(mm)	C(mm)	Thickness(mm)
800	140	11,12	2&3
1000	140	11,12	2&3
1000	180	13,14	2&3



ANCHOR




Adjustable Pole Anchor

Photo	Item No.	A(mm)	B(mm)	C(mm)	D(mm)
	YL-ADP1001	71-131	110	200	70
	YL-ADP1002	71-131	110	70	200
	YL-ADP1003	71-161	110	70	100
	YL-ADP1004	71-161	110	70	250
	YL-ADP1005	70	70	100	100

GARDEN PRODUCTS



GARDEN FENCE




GARDEN FENCE




YL-7804



YL-7805



YL-7806



YL-7807

ITEM REF	SIZE
YL-7801	50x40/93x40cm
YL-7802	45x45cm
YL-7803	47.5x46cm
YL-7804	100x54/100x70cm
YL-7805	46x33 cm
YL-7806	100x80 cm
YL-7807	100x80 cm



GARDEN FENCE



GARDEN FENCE



YL-7811



YL-7812



YL-7813

ITEM REF	SIZE
YL-7808	51x46cm
YL-7809	45x30cm
YL-7810	49.5x47cm
YL-7811	51x46cm
YL-7812	45x30cm
YL-7813	45x30cm



PLANT SUPPORT



YL-7201



YL-7202



YL-7204



YL-7203



YL-7205

ITEM REF	SIZE
YL-7201	4.0x80mm
YL-7202	3.5x80mm
YL-7203	35x40x14cm
YL-7204	78x40x23mm
YL-7205	40x40x23mm
YL-7206	6.5mmx1.5m-2.0m



YL-7206



FLOWER BASKET

ITEM REF	SIZE
YL-7501	12" 14" 16"
YL-7502	12" 14" 16"
YL-7503	12" 14" 16"
YL-7504	12" 14" 16"
YL-7505	10X24 CM
YL-7506	34X18X10 CM
YL-7507	41X18X12 CM
YL-7508	38X16X10.5 CM
YL-7509	12" 14" 16"
YL-7510	36" 24"
YL-7511	12" 14" 16"



YL-7501



YL-7502



YL-7503




YL-7504



YL-7505



YL-7506



YL-7507



YL-7508



YL-7509



YL-7510




YL-7511




FLOWER STAND

ITEM REF	SIZE
YL-7626	155x37cm
YL-7627	122x31cm
YL-7628	118x46cm
YL-7629	82x46cm
YL-7630	10X24 CM
YL-7631	34X18X10 CM
YL-7632	41X18X12 CM
YL-7633	38X16X10.5 CM



YL-7626



YL-7627



YL-7628



YL-7629



YL-7630



YL-7631




YL-7632



YL-7633

BRACKET



YL-7701



YL-7702



YL-7703




YL-7704



YL-7705



YL-7706




YL-7707



YL-7708



YL-7709



YL-7710

ITEM REF	SIZE
YL-7701	10" 12" 14" 16"
YL-7702	10" 12" 14" 16"
YL-7703	46X53 CM
YL-7704	46X53 CM
YL-7705	10" 12" 14" 16"
YL-7706	10" 12" 14" 16"
YL-7707	10" 12" 14" 16"
YL-7708	10" 12" 14" 16"
YL-7709	10" 12" 14" 16"
YL-7710	10" 12" 14" 16"



GARDEN HOOK

ITEM REF	SIZE
YL-7711	72" 64" 84"
YL-7712	72" 64" 84"
YL-7713	72" 64" 84"
YL-7714	72" 64" 84"
YL-7715	72" 64" 84"
YL-7716	72" 64" 84"
YL-7717	72" 64" 84"
YL-7718	72" 64" 84"
YL-7719	72" 64" 84"
YL-7720	72" 64" 84"
YL-7721	72" 64" 84"



YL-7712



YL-7713



YL-7714



YL-7715



YL-7716



YL-7717



YL-7718



YL-7719



YL-7720



YL-7721

GARDEN HOOK

ITEM REF	SIZE
YL-7722	72" 64" 84"
YL-7723	72" 64" 84"
YL-7724	72" 64" 84"
YL-7725	72" 64" 84"
YL-7726	72" 64" 84"
YL-7727	72" 64" 84"
YL-7728	72" 64" 84"
YL-7729	72" 64" 84"
YL-7730	72" 64" 84"
YL-7731	72" 64" 84"



YL-7722



YL-7723



YL-7724



YL-7725



YL-7726



YL-7727



YL-7728



YL-7729



YL-7730



YL-7731




TRELLIES




ITEM REF	SIZE
YL-7901	38.5*118CM
YL-7902	38.5*118CM
YL-7903	38.5*118CM
YL-7904	38.5*118CM
YL-7905	22.2*152CM
YL-7906	37*118CM
YL-7907	37*118CM
YL-7908	28.5*120CM
YL-7909	46*153CM
YL-7910	60.5*153CM




YL-7901



YL-7902



YL-7903



YL-7904




YL-7905



YL-7906



YL-7907



YL-7908




YL-7909




YL-7910


TRELLIES




ITEM REF	SIZE
YL-7911	40*120CM
YL-7912	38.5*118CM
YL-7913	38.5*118CM
YL-7914	38.5*118CM
YL-7915	38.5*118CM
YL-7916	60.5*163CM
YL-7917	38.5*118CM
YL-7918	153*44CM
YL-7919	38.5*118CM
YL-7920	51*162CM
YL-7921	38.5*118CM




YL-7911




YL-7912



YL-7913



YL-7914



YL-7915



YL-7916



YL-7917



YL-7918



YL-7919



YL-7920



OBELISK



YL-7101



YL-7102



YL-7103

ITEM REF	SIZE
YL-7101	60x45cm
YL-7102	80x21cm
YL-7103	150x48cm
YL-7104	90X31X31cm,120x31x31cm 150x32x32cm
YL-7105	90X17X17cm,120x21x21cm 150x25x25cm
YL-7106	150x30cm
YL-7107	100x30cm
YL-7108	100x30cm



YL-7104



YL-7105



YL-7106




YL-7107




YL-7108

ARCH



YL-7001



YL-7002



YL-7003

ITEM REF	SIZE
YL-7001	230x95x38.5cm
YL-7002	220x110x40cm
YL-7003	270x110x40cm

Popular used in garden planter and garden decoration.
Each part of the arch can combined together, caps to make tightly.
Easy assembly.



SWG			BWG			JPD			AWG			SWG			BWG			JPD			AWG		
No	Inch	mm	Inch	mm	No	mm	Inch	mm	No	Inch	mm	No	Inch	mm	Inch	mm	No	mm	Inch	mm			
7/0	0.500	12.700							22	0.0280	0.711	0.028	0.711	22	5.400	0.025350	0.644						
6/0	0.464	11.786					0.5800	14.732	23	0.0240	0.061	0.025	0.635	23	5.900	0.022570	0.573						
5/0	0.432	10.973	0.500	12.700			0.5165	13.119	24	0.0220	0.559	0.022	0.559	24	6.400	0.020100	0.511						
4/0	0.400	10.160	0.454	11.532			0.4600	11.684	25	0.0200	0.508	0.020	0.508	25	7.000	0.017900	0.455						
3/0	0.372	9.449	0.425	10.795			0.4096	10.404	26	0.0180	0.457	0.018	0.457	26	7.600	0.015940	0.405						
2/0	0.348	8.839	0.380	9.652			0.3648	9.266	27	0.0164	0.417	0.016	0.406	27	8.200	0.014200	0.361						
0	0.324	8.230	0.340	8.636			0.3249	8.252	28	0.0148	0.376	0.014	0.356	28	8.800	0.012640	0.321						
1	0.300	7.620	0.300	7.620	1	0.600	0.2893	7.348	29	0.0136	0.345	0.013	0.330	29	9.400	0.011260	0.286						
2	0.276	7.010	0.284	7.214	2	0.700	0.2576	6.544	30	0.0124	0.315	0.012	0.305	30	10.000	0.010030	0.255						
3	0.252	6.401	0.259	6.579	3	0.800	0.2294	5.827	31	0.0116	0.295	0.010	0.245	P1/2	0.550	0.008930	0.227						
4	0.232	5.893	0.238	6.045	4	0.900	0.2043	5.189	32	0.0108	0.274	0.009	0.229	P	0.500	0.007950	0.202						
5	0.212	5.385	0.220	5.588	5	1.000	0.1819	4.621	33	0.0100	0.254	0.008	0.203	P1	0.460	0.007080	0.180						
6	0.192	4.877	0.203	5.156	6	1.100	0.1620	4.115	34	0.0092	0.234	0.007	0.178	P2	0.420	0.006300	0.160						
7	0.176	4.470	0.180	4.572	7	1.200	0.1443	3.665	35	0.0084	0.213	0.005	0.127	P3	0.380	0.005610	0.143						
8	0.160	4.064	0.165	4.191	8	1.300	0.1285	3.264	36	0.0076	0.193	0.004	0.102	P4	0.340	0.005000	0.127						
9	0.144	3.658	0.148	3.759	9	1.400	0.1144	2.906	37	0.0068	0.173			P5	0.310	0.004450	0.113						
10	0.128	3.251	0.134	3.404	10	1.500	0.1019	2.588	38	0.0060	0.152			P6	0.280	0.003960	0.101						
11	0.116	2.946	0.120	3.048	11	1.600	0.0907	2.305	39	0.0052	0.132			P7	0.270	0.003530	0.090						
12	0.104	2.642	0.109	2.769	12	1.800	0.0808	2.053	40	0.0048	0.122			P8	0.250	0.003140	0.080						
13	0.092	2.337	0.095	2.413	13	2.000	0.0720	1.828	41	0.0044	0.112			P9	0.230	0.002800	0.071						
14	0.080	2.032	0.083	2.108	14	2.200	0.0641	1.628	42	0.0040	0.102			P10	0.220	0.002490	0.063						
15	0.072	1.829	0.072	1.829	15	2.400	0.0571	1.450	43	0.0036	0.091			P11	0.200	0.002220	0.056						
16	0.064	1.626	0.065	1.651	16	2.700	0.0508	1.291	44	0.0032	0.081			P12	0.180	0.001980	0.050						
17	0.056	1.422	0.058	1.473	17	3.000	0.0453	1.150	45	0.0028	0.071			P13	0.170	0.001760	0.048						
18	0.048	1.219	0.049	1.245	18	3.400	0.0403	1.024	46	0.0024	0.061			P14	0.160	0.001570	0.040						
19	0.040	1.016	0.042	1.067	19	3.900	0.0359	0.912	47	0.0020	0.051			P15	0.150	0.001400	0.035						
20	0.036	0.914	0.035	0.889	20	4.400	0.0320	0.812	48	0.0016	0.041					0.001240	0.032						
21	0.032	0.813	0.032	0.813	21	4.900	0.0285	0.723	49	0.0012	0.03					0.001110	0.028						
									50	0.0010	0.025						0.000990	0.025					



HEBEI NEWEAST YILONG TRADING CO.,LTD

B-1904, Century Ark Building, 91 Guang An Street,
Shijiazhuang, Hebei, China

Tel: +86-311-86662196/86661618/86661556

Fax: +86-311-86662200

E-mail: yilong@188.com

www.hebeiyilong.com