




**HEBEI NEWEAST YILONG
TRADING CO.,LTD**





Hebei Neweast Yilong Trading Co., LTD

Hebei Neweast Yilong Trading Co., LTD is located in Shijiazhuang City, Hebei China.

For the past 15 years, we specialized in the products of wire mesh & garden products.

Our products are mainly exported to Europe, Africa, Middle East and America.

70% of the exported mesh is from our own factory which was certificated by ISO9001.

We attend Canton Fair, N.H.S in USA, Bologna Fair and Cologne Fair every year.

Insist "Quality, Integrity, pragmatic, Motivated and Service-Oriented" to be our Faith.

Has a good reputation all over the world.

We will offer our excellent service and do our best to satisfy your demands.

Cooperation is right here.



yilong@188.com
91 Guang An Street Shijiazhuang Hebei China

Fax: +86-311-866621

DIRECTORY

<i>Galvanized Hexagonal Wire Netting</i>	1-2
<i>PVC Coated Hexagonal Wire Netting</i>	3-4
<i>Black Shaped Net</i>	5
<i>Black Wire Hexagonal Netting</i>	5
<i>Hexagonal Gabion</i>	6

<i>Glvanized welded Mesh</i>	7-8
<i>PVC Coated Welded Mesh</i>	9-10
<i>Eurofence</i>	10
<i>Fortifence</i>	10
<i>Electric Galvanized Panel</i>	11
<i>Border fence</i>	12
<i>Chainlink Fence</i>	12

<i>Small Coil Wire</i>	13-14
<i>Barbed Wire</i>	15
<i>Razor Wire</i>	16

<i>Field Fence</i>	17
--------------------------	----

<i>Strainer</i>	18
-----------------------	----

<i>3D Panel</i>	19-20
<i>2D Panel</i>	20
<i>Garden Gate</i>	21
<i>Fence Post</i>	22-23
<i>Anchor</i>	23
<i>Growing Sprial Post and Nature Bamboo</i>	23
<i>Hanging Basket And Brackets</i>	24-26
<i>Garden Trelli And Flower Stands</i>	27-29
<i>Steel Hook</i>	30-32
<i>Garden Fence</i>	33-34

<i>Crimped Wire Mesh</i>	35
<i>Galvanized Wire Netting</i>	35
<i>Brass/Copper/Bronze Wire Mesh</i>	36
<i>Aluminium Screen</i>	36
<i>Fiber Glass Screen</i>	36
<i>Dutch Wire Mesh</i>	37-38
<i>Stainless Steel Wire Mesh</i>	39

<i>Machinery</i>	40-41
------------------------	-------

<i>Gauge</i>	42
--------------------	----

Galvanized Hexagonal Wire Netting

- Hot Dip Galvanized Before Weaving
- Hot Dip Galvanized After Weaving
- Electric Galvanized Before Weaving



1/2"(13mm) . 5m/10m/25m/30m/50m

Opening	Height	Thickness
1/2"	500mm	BWG27/BWG26/ BWG25/BWG/BWG24/ BWG23/BWG22/BWG21
	600mm	
	800mm	
	1000mm	
	1200mm	
	1500mm	
	1800mm	
	2000mm	



5/8"(16mm) . 5m/10m/25m/30m/50m

Opening	Height	Thickness
5/8"	500mm	BWG26/BWG25/BWG/ BWG24/BWG23/ BWG22/ BWG21
	600mm	
	800mm	
	1000mm	
	1200mm	



3/4"(20mm) . 5m/10m/25m/30m/50m

Opening	Height	Thickness
3/4"	500mm	BWG25/BWG/BWG24/ BWG23/BWG22/BWG21
	600mm	
	800mm	
	1000mm	
	1200mm	
	1500mm	
	1800mm	
	2000mm	



Galvanized Hexagonal Wire Netting



1"(25mm) . 5m/10m/25m/30m/50m/800m/2000m

Opening	Height	Thickness
1"	500mm	BWG24/BWG23/ BWG22/BWG21/ BWG20/BWG19
	600mm	
	800mm	
	1000mm	
	1200mm	
	1500mm	
	1800mm	
	2000mm	



1-1/4"(31mm) . 5m/10m/25m/30m/50m

Opening	Height	Thickness
1-1/4"	500mm	BWG23/BWG22/ BWG21/BWG20/ BWG19/BWG18/ BWG18
	600mm	
	800mm	
	1000mm	
	1200mm	
	1500mm	
	1800mm	
	2000mm	



1-1/2"(41mm) . 5m/10m/25m/30m/50m

Opening	Height	Thickness
1-1/2"	500mm	BWG22/BWG21/ BWG20/BWG19/ BWG18
	600mm	
	800mm	
	1000mm	
	1200mm	
	1500mm	
	1800mm	
	2000mm	



2"(51mm) . 5m/10m/25m/30m/50m

Opening	Height	Thickness
2"	500mm	BWG22/BWG21/ BWG20/BWG19/ BWG18
	600mm	
	800mm	
	1000mm	
	1200mm	
	1500mm	
	1800mm	
	2000mm	

PVC Coated Hexagonal Wire Netting

- PVC Coated Before Weaving
- PVC Coated After Weaving



1/2"(13mm) . 5m/10m/25m/30m/50m

Opening	Height	Thickness
1/2"	500mm	0.40/0.80mm 0.50/0.90mm 0.55/0.95mm 0.60/1.00mm
	600mm	
	800mm	
	1000mm	
	1200mm	
	1500mm	
	1800mm	
	2000mm	




5/8"(16mm) . 5m/10m/25m/30m/50m

Opening	Height	Thickness
5/8"	500mm	0.50/0.90mm 0.55/0.95mm 0.60/1.00mm 0.70/1.10mm
	600mm	
	800mm	
	1000mm	
	1200mm	



3/4"(20mm) . 5m/10m/25m/30m/50m

Opening	Height	Thickness
3/4"	500mm	0.50/0.90mm 0.55/0.95mm 0.60/1.00mm 0.70/1.10mm
	600mm	
	800mm	
	1000mm	
	1200mm	
	1500mm	
	1800mm	
	2000mm	



PVC Coated Hexagonal Wire Netting




1"(25mm) . 5m/10m/25m/30m/50m

Opening	Height	Thickness
1"	500mm	0.60/1.00mm 0.70/1.10mm 0.80/1.20mm 0.90/1.30mm
	600mm	
	800mm	
	1000mm	
	1200mm	
	1500mm	
	1800mm	
	2000mm	



1-1/4"(31mm) . 5m/10m/25m/30m/50m

Opening	Height	Thickness
1-1/4"	500mm	0.60/1.00mm 0.70/1.10mm 0.80/1.20mm 0.90/1.30mm
	600mm	
	800mm	
	1000mm	
	1200mm	
	1500mm	
	1800mm	
	2000mm	



1-1/2"(41mm) . 5m/10m/25m/30m/50m

Opening	Height	Thickness
1-1/2"	500mm	0.70/1.10mm 0.80/1.20mm 0.90/1.30mm 1.00/1.40mm 1.20/1.60mm
	600mm	
	800mm	
	1000mm	
	1200mm	
	1500mm	
	1800mm	
	2000mm	




2"(51mm) . 5m/10m/25m/30m/50m

Opening	Height	Thickness
2"	500mm	0.80/1.20mm 0.90/1.30mm 1.00/1.40mm 1.20/1.60mm
	600mm	
	800mm	
	1000mm	
	1200mm	
	1500mm	
	1800mm	
	2000mm	

Black Shaped Net


φ Diameter	H. cm	pz. x pack.
25	19	25
35	26	25
40	27	25
45	30	25
50	39	25
55	45	20
60	48	20
65	51	20
75	56	20
85	62	10



Black Wire Hexagonal Netting

Mesh	Thickness	Height
mm	mm	cm
51	7(1.0)	30/40/50/60
51	7(1.1)	30/40/50/60
51	8(1.2)	40/50/60/70
51	9(1.3)	40/50/60/70/80/90/100/120
51	10(1.4)	50/60/70/80/90/100/120

triple twist with sliding selvage



Character: Environment, Bio-degradable, Innocuousness, Non-toxic

Hexagonal Gabion




Galvanized:2.70mm

Size	Demension
80x100mm	1.5x1x1
	2x1x0.5
	2x1x1
	3x1x0.5
	3x1x1
	3x2x0.5
	3x2x1
	4x1x0.5
	4x1x1
	4x2x0.5
	4x2x1
	1x25
	1x50
	2x50
	4x100



Galvanized:2.2mm

Size	Demension
60x80mm	1.5x1x1
	2x1x0.5
	2x1x1
	3x1x0.5
	3x1x1



PVC Coated 2.70/3.7mm

Size	Demension
80x100mm	1.5x1x1
	2x1x0.5
	2x1x1
	1x25
	1x50
	2x50
	4x100



Galvanized Welded Mesh




- Hot Dip Galvanized Before Weaving
- Hot Dip Galvanized After Weaving
- Electric Galvanized Before Weaving
- Electric Galvanized After Weaving




Mesh (Inch)	Mesh (mm)	Thickness(mm)	Width (m)	Length (m)	Opening
1/4"x1/4"	6x6	0.55	0.5,0.6,0.8,1.0,1.2	5,10,25	
		0.60			
		0.65			
		0.70			
3/8"x3/8"	10x10	0.70	0.5,0.6,0.8,1.0,1.2	5,10,25	
		0.80			
		0.90			
		1.00			
1/2"x1/2"	12x12	0.80	0.5,0.6,0.8,1.0,1.2 1.5,1.8,2.0	5,10,25	
		1.00			
		1.20			
		1.40			
5/8"x5/8"	16x16	0.90	0.5,0.6,0.8,1.0,1.2	5,10,25	
		1.00			
		1.10			
		1.20			
3/4"x3/4"	19x19	1.00	0.5,0.6,0.8,1.0,1.2 1.5,1.8,2.0	5,10,25	
		1.20			
		1.40			
		1.60			
1"x1/2"	25x12	1.20	0.5,0.6,0.8,1.0,1.2 1.5,1.8,2.0	5,10,25	
		1.50			
		1.70			
		1.80			
1"x1"	25x25	1.20	0.5,0.6,0.8,1.0,1.2 1.5,1.8,2.0	5,10,25	
		1.50			
		1.80			
		2.00			

Galvanized Welded Mesh



Mesh (Inch)	Mesh (mm)	Thickness(mm)	Width (m)	Length (m)	Opening
1"x2"	25x50	1.20	0.5,0.6,0.8,1.0,1.2 1.5,1.8,2.0	5,10,25	
		1.50			
		1.80			
		2.00			
2"x1/2"	50x12	1.20	0.5,0.6,0.8,1.0,1.2 1.5,1.8,2.0	5,10,25	
		1.50			
		1.70			
		1.80			
2"x1"	50x25	1.20	0.5,0.6,0.8,1.0,1.2 1.5,1.8,2.0	5,10,25	
		1.50			
		1.80			
		2.00			
2"x2"	50x50	1.80	0.6,0.8,1.0,1.2 1.5,1.8,2.0	5,10,25	
		2.00			
		2.50			
		2.80			
3"x1/2"	75x12	1.50	0.6,0.8,1.0,1.2 1.5,1.8,2.0	25	
		1.80			
		1.90			
		2.00			
3"x2"	75x50	1.80	0.6,0.8,1.0,1.2 1.5,1.8,2.0	25	
		2.00			
		2.50			
		2.80			
4"x3"	100x75	1.80	0.6,0.8,1.0,1.2 1.5,1.8,2.0,2.5	25	
		2.00			
		2.50			
		3.00			

Pvc Coated Welded Mesh



Mesh (Inch)	Mesh (mm)	Thickness(mm)	Width (m)	Length (m)
1/2"x1/2"	12x12	0.7/1.1	0.5,0.6,0.8,1.0,1.2	5,10,25
		0.8/1.2		
		1.0/1.4		
3/4"x3/4"	19x19	0.7/1.1	0.5,0.6,0.8,1.0,1.2	5,10,25
		0.8/1.2		
		1.0/1.4		
1"x1"	25x25	0.9/1.3	0.5,0.6,0.8,1.0,1.2	5,10,25
		1.2/1.8		
		1.5/2.0		
1"x2"	25x50	1.7/2.1	0.5,0.6,0.8,1.0,1.2 1.5,1.8,2.0	5,10,25
		1.8/2.2		
		1.9/2.4		
2"x1"	50x25	1.7/2.2	0.5,0.6,0.8,1.0,1.2 1.5,1.8,2.0	5,10,25
		1.8/2.3		
		1.9/2.4		
2"x2"	50x50	1.9/2.4	0.5,0.6,0.8,1.0,1.2 1.5,1.8,2.0,2.5	10,25
		2.0/2.5		
		2.5/3.0		
3"x2"	75x50	1.7/2.2	0.6,0.8,1.0,1.2 1.5,1.8,2.0,2.5	10,25
		1.8/2.3		
		2.0/2.5		

Eurofence



Mesh (Inch)	Mesh (mm)	Thickness(mm)	Width(m)	Length (m)	Opening
3"x2"	75x50	1.8/2.3	0.6,0.8,1.0,1.2 1.5,1.8,2.0,2.5	25	
		1.9/2.4			
		2.0/2.5			
4"x2"	100x50	1.8/2.3	0.6,0.8,1.0,1.2 1.5,1.8,2.0,2.5	25	
		1.9/2.4			
		2.0/2.5			

Fortifence

Mesh (Inch)	Mesh (mm)	Thickness(mm)	Width (m)	Length (m)	Opening
2"x2"	50x50	1.9/2.4	0.6,0.8,1.0,1.2 1.5,1.8,2.0,2.5	25	
		2.0/2.5			
		2.5/3.0			
2"x2.5"	50x60	2.0/2.5	1.0,1.2,1.5 1.8,2.0,2.5	25	
		2.5/3.0			

Electric Galvanized Panel

Specification

Panel mesh: 50x50mm


Four corner mesh: 100x100mm

Four perimeter mesh: 50x100mm

Size: 2X1m

Wire dia.:1.5mm/ 1.6mm/ 1.7mm/ 1.8mm/ 1.9mm/ 2.0mm

Flat and Ripples



Chainlink Fence




PVC Coated Chainlink Fence

Mesh	Thickness	Height
30x30mm	1.5/2.2mm,1.6/2.5mm	1.0m,1.2m1.5m 1.8m,2.0m,2.5m 3.0m,4.0m,5.0m 6.0m
45x45m	1.5/2.2mm,1.6/2.5mm 1.8/2.7mm	
50x50mm	1.6/2.5mm,1.8/2.7mm 1.9/2.9mm,2.0/3.0mm 2.5/4.0mm	
55x55mm		
60x60mm		
65x65mm		




Galvanized Chainlink Fence

Mesh	Thickness	Height
30x30mm	1.4mm/1.5mm/1.6mm	1.0m,1.2m1.5m 1.8m,2.0m,2.5m 3.0m,4.0m,5.0m 6.0m
45x45m	1.5mm/1.6mm/1.7mm/ 1.8mm	
50x50mm	1.6mm/1.7mm/1.8mm/ 1.9mm/2.0mm/2.2mm/ 2.5mm/3.0mm	
55x55mm		
60x60mm		
65x65mm		



Border fence

Mesh	Height	Length
90x150mm	0.40m	10m/25m
90x150mm	0.65m	10m/25m
90x150mm	0.90m	10m/25m
90x150mm	1.20m	10m/25m



Small Coil Wire



Small Coil 330g

Thickness(mm)	Wire Num.
0.90	2,3
0.95	2,3
1.00	2,3



Galvanized Wire With Spring

Thickness (mm)	Length(m)
0.7	40
0.8	40
0.9	30
1.1	27
1.2	25
1.3	22
1.5	16
1.6	12
1.8	12
2.0	10
2.2	9
2.5	7



PVC Coated Wire With Spring


Thickness (mm)	Length(m)
0.6/0.9	40
0.6/0.9	30
0.7/1.1	25
0.8/1.2	20
0.9/1.3	22
1.0/1.5	16
1.3/1.8	12
1.4/2.0	12
1.6/2.2	8



Small Coil Wire


Galvanized Tension Wire

Thickness (mm)	Length(m)
1.3	100
2.0	100
2.2	100
2.4	100
2.7	100
3.0	100




PVC Coated Tension Wire

Thickness (mm)	Length(m)
1.0/1.5	100
1.3/1.8	100
1.5/2.0	100
1.6/2.2	100
1.7/2.4	100
1.8/2.6	100
2.0/3.0	100
2.2/3.2	100
2.4/3.5	100
2.7/4.0	100




Galvanized Wire With Dispensor

Thickness (mm)	Length(m)
0.70	75
0.90	50
1.10	50
1.30	50
1.50	50
1.80	50



PVC Coated Wire With Dispensor

Thickness (mm)	Length(m)
0.6/0.9	75
0.8/1.2	50
1.0/1.5	50
1.1/1.6	50



PVC Coated Wire With Plastic Suport

Thickness (mm)	Length(m)
1.1/1.5	40



Barbed Wire



Galvanized Barbed Wire

Distance	Thickness	Length	Twist
4" or 5"	1.4mm	50m,100m,200m,250m,500m	Normal / Reversed
	1.6mm	50m,100m,200m,250m,500m	Normal / Reversed
	1.75mm	50m,100m,200m,250m,500m	Normal / Reversed
	1.80mm	50m,100m,200m,250m,500m	Normal / Reversed
	1.90mm	50m,100m,200m,250m,500m	Normal / Reversed
	2.0mm	50m,100m,200m,250m	Normal / Reversed
	2.1mm	50m,100m,200m,250m	Normal
	2.2mm	50m,100m,200m,250m	Normal
	2.5mm	50m,100m,200m,250m	Normal
	2.7mm	50m,100m,200m,250m	Normal




PVC Coated Barbed Wire

Distance	Thickness	Length	Twist
4" or 5"	1.4/2.0mm	50m,100m,200m,250m	Normal
	1.5/2.2mm	50m,100m,200m,250m	Normal
	1.9/2.7mm	50m,100m,200m,250m	Normal



Razor Wire




Type	Blade Style	Blade	Wire Dia	Barb Length	Barb Width	Barb Spacing
BTO-12		0.5 ± 0.05	2.5 ± 0.1	12 ± 1	13 ± 1	26 ± 1
BTO-18		0.5 ± 0.05	2.5 ± 0.1	18 ± 1	15 ± 1	33 ± 1
BTO-22		0.5 ± 0.05	2.5 ± 0.1	22 ± 1	15 ± 1	34 ± 1
BTO-28		0.5 ± 0.05	2.5 ± 0.1	28 ± 1	15 ± 1	45 ± 1
BTO-30		0.5 ± 0.05	2.5 ± 0.1	30 ± 1	18 ± 1	45 ± 1
CBT-65		0.6 ± 0.05	2.5 ± 0.1	65 ± 2	21 ± 1	100 ± 2

Outside Diameter	No. of Loops	Standard Length per Coil	Type	Notes
450mm	33	7M-8M	CBT-65	Single coil
500mm	41	10M	CBT-65	Single coil
700mm	41	10M	CBT-65	Single coil
960mm	54	11M-15M	CBT-65	Single coil
500mm	102	15M-18M	BTO-12.18.22.28.30	Cross type
600mm	86	13M-16M	BTO-12.18.22.28.30	Cross type
700mm	72	12M-15M	BTO-12.18.22.28.30	Cross type
800mm	64	13M-15M	BTO-12.18.22.28.30	Cross type
960mm	54	12M-15M	BTO-12.18.22.28.30	Cross type



Razor Fence

Size	Opening	Height	Length
BTO-22	75x150, 150x300,	1.0-4.0m	2m-200m
BTO-30	150x200		





Field Fence



Thickness: 1.7/2.2mm, 1.8/2.2mm, 1.9/2.5mm

2.0/2.5mm, 2.2/3.0mm, 2.5/3.4mm

Size	Height	Length
8x15	1.02m	50m/100m
9x15	1.25m	50m/100m
10x15	1.20m	50m/100m
11x15	1.42m	50m/100m
12x15	1.60m	50m/100m
13x15	1.83m	50m/100m
14x15	2.03m	50m/100m
8x30	1.02m	50m/100m
9x30	1.22m	50m/100m
10x30	1.20m	50m/100m
11x30	1.42m	50m/100m
12x30	1.60m	50m/100m
13x30	1.83m	50m/100m
14x30	2.03m	50m/100m



Strainer

Item	Size	Photo
YL304	NO.2	
	NO.3	
	NO.4	
YL305	NO.2	
YL306	NO.2	
YL307	NO.2	
YL308	NO.3	
	NO.4	
YL309	NO.2	
YL310	NO.2	
YL311	NO.2	


Fencing



3D Fence

Opening: 200x50mm

Size (mm)	Thickness(mm)
630x2500	4.0 / 4.5/ 5.0
830x2500	4.0 / 4.5/ 5.0
1030x2500	4.0 / 4.5/ 5.0
1230x2500	4.0 / 4.5/ 5.0
1530x2500	4.0 / 4.5/ 5.0
1730x2500	4.0 / 4.5/ 5.0
1830x2500	4.0 / 4.5/ 5.0
2030x2500	4.0 / 4.5/ 5.0



Square Post 60x60/1.5mm or 60x40/1.5mm

Fencing



V post: 60x70/1.5mm




D Post:60/1.5mm



Pit Post:φ48/1.5mm

Opening: 100x50mm

Size (mm)	Thickness(mm)
1030x2500	4.0
1230x2500	4.0
1530x2500	4.0
1730x2500	4.0
1830x2500	4.0
2030x2500	4.0




2D Fence

Size (mm)	Thickness(mm)
1030x2500	6/5/6,8/6/8
1230x2500	6/5/6,8/6/8
1430x2500	6/5/6,8/6/8
1630x2500	6/5/6,8/6/8
1830x2500	6/5/6,8/6/8
2030x2500	6/5/6,8/6/8
2230x2500	6/5/6,8/6/8



Square Post 60x40/1.5mm



Single Gate

SQUARE POST : 60x60/1.5MM; 60x60/2.0MM

SQUARE FRAME : 40x40/1.5MM

PANEL OPENING : 50X50/4.0MM; 200X50/5.0MM

WIDTH x HEIGHT :

1.0X1.0M 1.0X1.2M

1.0X1.5M 1.0X1.8M

1.0X2.4M or on demand



Single Gate

ROUND POST : 60x60/1.5MM

ROUND FRAME : 40x40/1.5MM

PANEL OPENING : 50X50/4.0MM; 200X50/5.0MM

WIDTH x HEIGHT :

1.0X1.0M 1.0X1.2M

1.0X1.5M 1.0X1.8M

1.0X2.4M or on demand



Double Gate

POST / FRAME : SQUARE OR ROUND

PANEL OPENING : 50X50/4.0MM; 200X50/5.0MM

WIDTH x HEIGHT :

(1.5+1.5)X1.5M (1.5+1.5)X2.0M

(2.0+2.0)X1.5M (2.0+2.0)X2.0M



Fence Post



T post

**Finished: Plastic powder coating
Hot dip galvanized**

Size	Thickness	Height CM
30x30	3.0MM,3.5MM	125
30x30		150
30x30		175
30x30		200
30x30		225
30x30		250
35x35	3.5MM,4.0MM	200
35x35		225
35x35		250



L post

**Finished: Plastic powder coating
Hot dip galvanized**

Size	Thickness	Height CM
25X25	3.0MM	120
25X25		150
25X25		200



Fence Post

Round Post and Pit Post



Circular tube
 32mm/1.5mm
 42mm/1.5mm
 48mm/1.5mm
 60mm/1.5mm, 2.0mm



48mm/1.5mm
 or 60mm/1.5mm

Anchor


Finished: Plastic powder coating
Hot dip galvanized

800x140x12mm
 1000x140x12mm
 1000x180x14mm



71x71x150MM
 91x91x150MM

51x51x650MM
 71x71x750MM
 71x71x900MM
 91x91x750MM
 91x91x900MM
 102x102x750MM



Growing Spiral and Nature Bamboo



Gal 1.4m-2.1m



PVC 1.4m-2.1m



6/8mm-30/35mm

Hanging Baskets And Brackets



YL-501



YL-502



YL-503



YL-504



YL-505




YL-506



YL-507



YL-508



YL-509




YL-510



YL-511

ITEM REF	SIZE
YL-501	10" 12" 14" 16" 18"
YL-502	10" 12" 14" 16" 18"
YL-503	10" 12" 14" 16" 18"
YL-504	9"
YL-505	10" 12" 14" 16" 18"
YL-506	10" 12" 14" 16" 18"
YL-507	10" 12" 14" 16" 18"
YL-508	10" 12" 14" 16" 18"
YL-509	12" $\frac{1}{2}$
YL-510	2Hx54 4Hx54
YL-511	12" 14" 16"

Hanging Baskets And Brackets



YL-512




ITEM REF	SIZE
YL-512	50x18x20cm
YL-513	34x18x10cm
YL-514	34x18x10cm
YL-515	58x20x21cm
YL-516	41x18x12cm
YL-517	28x16x10.5cm 38x16x10.5cm
YL-518	17x10cm
YL-519	34x18x10cm
YL-520	34x18x10cm
YL-521	10cmx24cm
YL-522	19.5cmx36cm




YL-513




YL-514



YL-515



YL-516



YL-517



YL-518



YL-519



YL-520



YL-521



YL-522

Hanging Baskets And Brackets



YL-523

ITEM REF	SIZE
YL-523	22" 24"
YL-524	16" $\frac{1}{2}$ 18" $\frac{1}{2}$
YL-525	22" 24"
YL-526	40cmx17cm
YL-527	30"
YL-528	65x22x22cm 55x22x22cm
YL-529	30"
YL-530	12" $\frac{1}{2}$




YL-524



YL-526




YL-525



YL-528



YL-527




YL-529



YL-530

Garden Trellis And Flower Stands

ITEM REF	SIZE
YL-601	48"x20"
YL-602	48"x29"
YL-603	72"x22"
YL-604	72"x22"
YL-605	72"x22"
YL-606	80"x65cm
YL-607	72"x22"
YL-608	72"x22"
YL-609	72"x22"
YL-610	72"x22"
YL-611	72"x22"



YL-601




YL-602



YL-603




YL-604



YL-605




YL-606




YL-607



YL-608



YL-609




YL-610



YL-611


Garden Trellis And Flower Stands




YL-612



ITEM REF	SIZE
YL-612	80"x24"
YL-613	78"x29"
YL-614	72"x29" 48"x22"
YL-615	84"x24"
YL-616	72"x20"
YL-617	72"x20" 32"x12"
YL-618	72"x22"
YL-619	20"x72"
YL-620	48"x20"




YL-613




YL-614




YL-615



YL-616




YL-617



YL-618




YL-619




YL-620

Garden Trellis And Flower Stands


ITEM REF	SIZE
YL-626	155cmx37cm
YL-627	122cmx31cm
YL-628	118cmx46cm
YL-629	82x46cm
YL-630	100cm
YL-631	10" 12" 14"
YL-632	35cm
YL-633	10" 12"
YL-634	58cm



YL-626




YL-627



YL-628



YL-629



YL-630




YL-631



YL-632




YL-633



YL-634

Steel Hook



YL-701



YL-702




YL-703




YL-704



YL-705



YL-706



YL-707



YL-708



YL-709



YL-710

ITEM REF	SIZE
YL-701	24" 36"
YL-702	20"x18"
YL-703	46x53cm
YL-704	46x53cm
YL-705	20"x18"
YL-706	10" 12" 14 '16"
YL-707	10" 12" 14 '16"
YL-708	9" 15"
YL-709	12" 14"
YL-710	12"

Steel Hook



YL-711



YL-712



YL-713



YL-714



YL-715



YL-716



YL-717



YL-718



YL-719











YL-720



YL-721

Steel Hook

ITEM REF	SIZE
YL-711	72" 64" 84"
YL-712	72" 64" 84"
YL-713	72" 64" 84"
YL-714	72" 64" 84"
YL-715	72" 64" 84"
YL-716	72" 64" 84"
YL-717	72" 64" 84"
YL-718	72" 64" 84"
YL-719	72" 64" 84"
YL-720	72" 64" 84"
YL-721	72" 64" 84"
YL-722	72" 64" 84"
YL-723	72" 64" 84"
YL-724	72" 64" 84"
YL-725	72" 64" 84"
YL-726	72" 64" 84"
YL-727	48" 64" 84"
YL-728	72" 64" 84"
YL-729	72" 64" 84"



Garden Fence



YL-801



YL-802



YL-803



YL-804

ITEM REF	SIZE			
YL-801	33cmx46cm			
YL-802	30"x22"			
YL-803	32"x10'			
YL-804	32"x10'	24"x10'	18"x10'	18"x8'

Garden Fence




YL-805




YL-806



YL-807



YL-808





YL-809

ITEM REF	SIZE
YL-805	45cmx45cm
YL-806	45cmx45cm
YL-807	30"x22"
YL-808	45cmx45cm
YL-809	24"x24" 18"x18"

Crimped Wire Mesh

Mesh	Thickness(mm)	Width	Length(m)
4x4	0.40-0.70	3' / 1.0m / 4' / 1.5m	9/15/20/25/30
6x6	0.50-0.80	3' / 1.0m / 4' / 1.5m	9/15/20/25/30
8x8	0.55-0.90	3' / 1.0m / 4' / 1.5m	9/15/20/25/30
10x10	0.60-1.00	3' / 1.0m / 4' / 1.5m	9/15/20/25/30
12x12	0.70-1.10	3' / 1.0m / 4' / 1.5m	9/15/20/25/30
15x15	1.10-1.50	3' / 1.0m / 4' / 1.5m	9/15/20/25/30
20x20	1.50-2.00	3' / 1.0m / 4' / 1.5m	9/15/20/25/30
25x25	1.80-2.50	3' / 1.0m / 4' / 1.5m	9/15/20/25/30
30x30	2.00-2.80	3' / 1.0m / 4' / 1.5m	9/15/20/25/30
40x40	2.00-2.80	3' / 1.0m / 4' / 1.5m	9/15/20/25/30
50x50	2.80-4.00	3' / 1.0m / 4' / 1.5m	9/15/20/25/30



Galvanized Wire Netting

Mesh	Thickness(mm)	Width	Length(m)
2	1.2 / 1.0	3' / 1.0m / 4' / 1.5m	15 / 25 / 30
3	1.0 / 0.90 / 0.80	3' / 1.0m / 4' / 1.5m	15 / 25 / 30
4	0.90 / 0.80 / 0.70 / 0.65	3' / 1.0m / 4' / 1.5m	15 / 25 / 30
5	0.70 / 0.60 / 0.55 / 0.50	3' / 1.0m / 4' / 1.5m	15 / 25 / 30
6	0.70 / 0.60 / 0.55 / 0.45	3' / 1.0m / 4' / 1.5m	15 / 25 / 30
8	0.60 / 0.55 / 0.50 / 0.45 / 0.40	3' / 1.0m / 4' / 1.5m	15 / 25 / 30
10	0.60 / 0.50 / 0.40 / 0.30	3' / 1.0m / 4' / 1.5m	15 / 25 / 30
12	0.60 / 0.50 / 0.40 / 0.30 / 0.25	3' / 1.0m / 4' / 1.5m	15 / 25 / 30
14	0.60 / 0.50 / 0.40 / 0.30 / 0.25 / 0.23 / 0.21	3' / 1.0m / 4' / 1.5m	15 / 25 / 30
16	0.60 / 0.50 / 0.40 / 0.30 / 0.25 / 0.23 / 0.21	3' / 1.0m / 4' / 1.5m	15 / 25 / 30
18	0.40 / 0.35 / 0.30 / 0.25 / 0.23 / 0.21	3' / 1.0m / 4' / 1.5m	15 / 25 / 30
20	0.40 / 0.35 / 0.30 / 0.25 / 0.23 / 0.21	3' / 1.0m / 4' / 1.5m	15 / 25 / 30
22	0.25 / 0.23 / 0.21 / 0.19 / 0.17	3' / 1.0m / 4' / 1.5m	15 / 25 / 30
24	0.25 / 0.23 / 0.21 / 0.19 / 0.17	3' / 1.0m / 4' / 1.5m	15 / 25 / 30
28	0.23 / 0.21 / 0.19 / 0.17	3' / 1.0m / 4' / 1.5m	15 / 25 / 30
30	0.23 / 0.21 / 0.19 / 0.17	3' / 1.0m / 4' / 1.5m	15 / 25 / 30
40	0.23 / 0.21 / 0.19 / 0.17	3' / 1.0m / 4' / 1.5m	15 / 25 / 30
50	0.21 / 0.19 / 0.17	3' / 1.0m / 4' / 1.5m	15 / 25 / 30
60	0.17 / 0.16	3' / 1.0m / 4' / 1.5m	15 / 25 / 30



Brass/Copper/Bronze Wire Mesh


Mesh/Inch	Thickness(mm)	Aperture(mm)
2x2	1.61	11.09
4x4	0.91	5.44
6x6	0.710	3.52
8x8	0.500	2.68
10x10	0.500	2.04
12x12	0.450	1.67
14x14	0.400	1.41
16x16	0.300	1.29
18x18	0.250	1.16
20x20	0.250	1.02



Mesh/Inch	Thickness(mm)	Aperture(mm)	Mesh/Inch	Thickness(mm)	Aperture(mm)
30x30	0.210	0.64	120x120	0.090	0.12
40x40	0.190	0.45	130x130	0.070	0.13
50x50	0.150	0.36	140x140	0.070	0.11
60x60	0.150	0.27	150x150	0.060	0.11
70x70	0.130	0.23	160x160	0.060	0.1
80x80	0.120	0.2	180x180	0.053	0.09
90x90	0.110	0.17	200x200	0.053	0.07
100x100	0.100	0.15	22x220	0.050	0.07
110x110	0.090	0.14			


Aluminium Screen

Mesh/Inch	Thickness	WidthxLength
14x14	BWG32	3'X100',1.0X30M 4'X100',1.5X30M
16x16	BWG32,BWG33	
18x14	BWG33,BWG34	
18X16	BWG33,BWG34	
18x18	BWG33,BWG34	



Fiber Glass Screen

Mesh/Inch	Thickness	WidthxLength
14x14	BWG31	3'X100',1.0X30M 4'X100',1.5X30M
16x16	BWG32	
18x16	BWG32,BWG33	
18x18	BWG33,BWG34	





Dutch Wire Mesh



Plain Dutch Weaving

Material: Sus302, 304, 304L, 316, 316L, Brass, Low Carbon Steel

Mesh	Thickness	Aperture	Weight
/Inch	(mm)	(μm)	(kg/m ²)
7×40	0.9×0.71	347	6.65
7×44	0.71×0.63	319	5.55
8×45	0.8×0.6	310	5.70
8.5×60	0.63×0.45	296	4.16
8×85	0.45×0.315	275	2.73
10×90	0.45×0.28	249	2.57
10×76	0.5×0.355	248	3.24
12×86	0.45×0.315	211	2.93
12×64	0.56×0.4	211	3.89
12.5×76	0.45×0.355	192	3.26
14×100	0.40×0.28	182	2.62
14×110	0.355×0.25	177	2.28
14×76	0.45×0.355	173	3.33
16×100	0.4×0.28	160	2.70
17×120	0.355×0.224	155	2.19
16×120	0.28×0.224	145	1.97
20×140	0.315×0.20	133	1.97
20×170	0.25×0.16	130	1.56
20×110	0.355×0.25	126	2.47
22×120	0.315×0.224	115	2.20
25×140	0.28×0.2	100	1.96
24×110	0.355×0.25	97	2.60
28×150	0.28×0.18	92	1.87
30×150	0.25×0.18	82	1.79
30×140	0.315×0.20	77	2.21
35×190	0.224×0.14	74	1.47
35×170	0.224×0.16	69	1.62
40×200	0.18×0.135	63	1.24
45×250	0.16×0.11	56	1.11
50×300	0.16×0.09	55	0.98
60×500	0.14×0.055	51	0.70
50×270	0.14×0.10	50	0.98
70×930	0.10×0.03	30	0.39
65×390	0.125×0.071	42	0.78




Mesh	Thickness	Aperture	Weight
/Inch	(mm)	(μm)	(kg/m ²)
60×300	0.14×0.09	41	0.96
80×700	0.125×0.04	40	0.60
60×270	0.14×0.1	39	1.03
77×560	0.14×0.05	38	0.74
80×600	0.1×0.045	37	0.53
70×390	0.112×0.071	37	0.74
65×750	0.10×0.036	36	0.43
70×340	0.125×0.08	35	0.86
80×430	0.125×0.063	32	0.77
100×1200	0.063×0.023	23	0.27
118×750	0.063×0.036	23	0.38

Dutch Wire Mesh



Twil Ducth Weaving

Mesh /Inch	Thickness (mm)	Aperture (μm)	Weight (kg/m ²)
20×270	0.25×0.2	119	3.14
20×200	0.355×0.28	118	4.58
24×300	0.28×0.18	110	3.01
20×150	0.45×0.355	101	6.02
30×340	0.28×0.16	89	2.84
30×270	0.28×0.20	77	3.41
40×540	0.18×0.10	70	1.73
40×430	0.18×0.125	63	2.09
50×600	0.125×0.09	51	1.47
50×500	0.14×0.11	47	1.83
65×600	0.14×0.09	36	1.59
70×600	0.14×0.09	31	1.61
78×760	0.112×0.071	31	1.25
78×680	0.112×0.08	29	1.37
80×680	0.112×0.08	28	1.38
90×850	0.10×0.063	26	1.12
90×760	0.10×0.071	24	1.23
100×850	0.10×0.063	22	1.14
130×1500	0.063×0.036	21	0.64
100×760	0.10×0.071	20	1.25
130×1200	0.071×0.045	18	0.80
130×1100	0.071×0.05	17	0.87
150×1400	0.063×0.04	15	0.71
160×1500	0.063×0.036	15	0.67
165×1500	0.063×0.036	14	0.67
174×1700	0.063×0.032	13	0.62
165×1400	0.063×0.04	13	0.73
174×1400	0.063×0.04	11	0.74
203×1600	0.05×0.032	10	0.58
216×1800	0.045×0.03	10	0.53
203×1500	0.056×0.036	9	0.67
250×1900	0.04×0.028	8	0.51
250×1600	0.05×0.032	8	0.63
285×2100	0.036×0.025	7	0.44
300×2100	0.036×0.025	6	0.44
317×2100	0.036×0.025	5	0.44
325×2300	0.036×0.024	4	0.44
363×2300	0.032×0.022	4	0.40
400×2700	0.028×0.02	4	0.36
500×3500	0.025×0.015	3	0.30




Stainless Steel Wire Mesh




Material :AISI302,AISI304,AISI304L,ALSI316,AISI316L

Width:0.60-1.5m


Length:30m(standard)




Plain Weave



Twilled Weave




Plain Dutch Weave



Twilled Dutch Weave

Mesh/Inch	Thickness(mm)	Aperture(mm)	Mesh/Inch	Thickness(mm)
1x1	2.030	23.37	50x50	0.230
2x2	1.600	11.10	50x50	0.210
3x3	1.370	7.10	60x60	0.190
4x4	1.600	4.75	60x60	0.180
4x4	1.190	5.16	70x70	0.170
5x5	1.040	4.04	80x80	0.170
6x6	0.890	3.34	80x80	0.140
8x8	0.710	2.47	90x90	0.130
10x10	0.640	1.90	100x100	0.110
10x10	0.510	2.03	100x100	0.100
12x12	0.580	1.54	100x100	0.090
12x12	0.510	1.61	110x110	0.100
14x14	0.580	1.23	120x120	0.090
14x14	0.510	1.30	150x150	0.070
16x16	0.450	1.14	160x160	0.060
18x18	0.430	0.98	180x180	0.058
20x20	0.510	0.76	200x200	0.053
20x20	0.410	0.86	250x250	0.040
24x24	0.360	0.70	270x270	0.040
30x30	0.330	0.52	300x300	0.038
30x30	0.310	0.54	325x325	0.036
30x30	0.230	0.62	400x400	0.025
35x35	0.280	0.45	500x500	0.025
40x40	0.250	0.48	635x635	0.020




Wire Mesh Machine



Wire Free Welding Machine.

E-machine: straighten and wire send automatically.

ITEM REF	Width X Opening	Diameter (MM)
YLF-L4	4'X 1/2"(1")	0.40-0.90
YLF-L5	5'X 1/2"(1")	0.60-1.00
YLF-M4	4'X 1/2"(1")	0.70-1.60
YLF-M5	5'X 1/2"(1")	0.70-1.60
YLF-M6	6'X 1/2"(1")	0.90-1.60
YLF-M4 -1	4'X1"(2",3" ...)	0.80-1.80
YLF-M5 -1	5'X1"(2",3" ...)	0.80-1.80
YLF-M6 -1	6'X1"(2",3" ...)	1.20-1.80
YLF-H4	4'X1"(2",3" ...)	1.40-2.70
YLF-H5	5'X1"(2",3" ...)	1.40-2.70
YLF-H6	6'X1"(2",3" ...)	1.40-2.70
YLF-H7	7'X1"(2",3" ...)	1.40-2.70
YLF-H2.5M	2.5MX1"(2",3" ...)	1.40-2.70
YLF-S7	7'X1"(2",3" ...)	2.00-3.00
YLF-S2.5M	2.5MX1"(2",3" ...)	2.00-3.00



Hanging wire welding machine



ITEM REF	Width X Opening	Diameter (MM)
YLH-L3	3'X1/4"(1/2")	0.35-0.75
YLH-L1M	1MX 1/4"(1/2")	0.35-0.75
YLH-L4	4'X1/4"(1/2")	0.35-0.75
YLH-L5	5'X1/4"(1/2")	0.35-0.75
YLH-M3	3'X1/2"	0.35-0.80
YLH-M1M	1MX1/2"	0.35-0.80
YLH-M4	4'X1/2"	0.35-0.80
YLH-M5	5'X1/2"	0.35-0.80
YLH-H6	6'X1/2"	0.50-1.10
YLH-H2M	2MX1/2"	0.50-1.10
YLH-H7	7'X1/2"	0.50-1.10



Character: Big box-style support, high stability, low noise.



Panel Machine

Item Ref.	Opening	Diameter	Width
	(MM)	(MM)	(M)
YLP-L1	50X50(100X100)	1.60-3.00	1.20-1.50
YLP-H1	50X50(100X100;200X200)	3.00-5.50	2.2



Hexagonal Wire Mesh Machine

Item Ref.	Openning	Wire Diameter	Width	Weight	Power
		(MM)	(MM)	(KGS)	(KW)
YLN-1/2	Normal 1/2"	0.40-0.75	1200/2000	4600	2.2
YLN-3/4	Normal 3/4"	0.45-0.90	1200/2000	4600	2.2
YLR-3/4	Reverst 3/4"	0.60-0.90	2600	4600	2.2
YLR-1	Reverst 1"	0.50-1.20	2600	4600	2.2
YLR-1.2	Reverst 1.2"	0.50-1.30	2600	4600	2.2
YLR-1.5	Reverst 1.5"	0.50-1.60	2600	4600	2.2
YLR-2	Reverst 2"	0.50-1.60	2600	4600	2.2
YLR-3	Reverst 3"	0.70-1.80	2600	4600	2.2




Galvanized Barbed Wire Machine

Item Ref.	Type	Wire Diameter	Wire Distance	Power
		(MM)		(KW)
YLB-R	Reverst	1.60-1.80	4"-5"	2.2
YLB-N	Normal	2.20-2.80	4"-5"	3.0



	SWG		BWG		JPD		AWG			SWG		BWG		JPD		AWG	
	No	Inch	mm	Inch	mm	No	Inch	mm		Inch	mm	Inch	mm	No	mm	Inch	mm
7/0	0.500	12.700							22	0.0280	0.711	0.028	0.711	22	5.400	0.025350	0.644
6/0	0.464	11.786					0.5800	14.732	23	0.0240	0.061	0.025	0.635	23	5.900	0.022570	0.573
5/0	0.432	10.973	0.500	12.700			0.5165	13.119	24	0.0220	0.559	0.022	0.559	24	6.400	0.020100	0.511
4/0	0.400	10.160	0.454	11.532			0.4600	11.684	25	0.0200	0.508	0.020	0.508	25	7.000	0.017900	0.455
3/0	0.372	9.449	0.425	10.795			0.4096	10.404	26	0.0180	0.457	0.018	0.457	26	7.600	0.015940	0.405
2/0	0.348	8.839	0.380	9.652			0.3648	9.266	27	0.0164	0.417	0.016	0.406	27	8.200	0.014200	0.361
0	0.324	8.230	0.340	8.636			0.3249	8.252	28	0.0148	0.376	0.014	0.356	28	8.800	0.012640	0.321
1	0.300	7.620	0.300	7.620	1	0.600	0.2893	7.348	29	0.0136	0.345	0.013	0.330	29	9.400	0.011260	0.286
2	0.276	7.010	0.284	7.214	2	0.700	0.2576	6.544	30	0.0124	0.315	0.012	0.305	30	10.000	0.010030	0.255
3	0.252	6.401	0.259	6.579	3	0.800	0.2294	5.827	31	0.0116	0.295	0.010	0.245	P ^{1/2}	0.550	0.008930	0.227
4	0.232	5.893	0.238	6.045	4	0.900	0.2043	5.189	32	0.0108	0.274	0.009	0.229	P	0.500	0.007950	0.202
5	0.212	5.385	0.220	5.588	5	1.000	0.1819	4.621	33	0.0100	0.254	0.008	0.203	P1	0.460	0.007080	0.180
6	0.192	4.877	0.203	5.156	6	1.100	0.1620	4.115	34	0.0092	0.234	0.007	0.178	P2	0.420	0.006300	0.160
7	0.176	4.470	0.180	4.572	7	1.200	0.1443	3.665	35	0.0084	0.213	0.005	0.127	P3	0.380	0.005610	0.143
8	0.160	4.064	0.165	4.191	8	1.300	0.1285	3.264	36	0.0076	0.193	0.004	0.102	P4	0.340	0.005000	0.127
9	0.144	3.658	0.148	3.759	9	1.400	0.1144	2.906	37	0.0068	0.173			P5	0.310	0.004450	0.113
10	0.128	3.251	0.134	3.404	10	1.500	0.1019	2.588	38	0.0060	0.152			P6	0.280	0.003960	0.101
11	0.116	2.946	0.120	3.048	11	1.600	0.0907	2.305	39	0.0052	0.132			P7	0.270	0.003530	0.090
12	0.104	2.642	0.109	2.769	12	1.800	0.0808	2.053	40	0.0048	0.122			P8	0.250	0.003140	0.080
13	0.092	2.337	0.095	2.413	13	2.000	0.0720	1.828	41	0.0044	0.112			P9	0.230	0.002800	0.071
14	0.080	2.032	0.083	2.108	14	2.200	0.0641	1.628	42	0.0040	0.102			P10	0.220	0.002490	0.063
15	0.072	1.829	0.072	1.829	15	2.400	0.0571	1.450	43	0.0036	0.091			P11	0.200	0.002220	0.056
16	0.064	1.626	0.065	1.651	16	2.700	0.0508	1.291	44	0.0032	0.081			P12	0.180	0.001980	0.050
17	0.056	1.422	0.058	1.473	17	3.000	0.0453	1.150	45	0.0028	0.071			P13	0.170	0.001760	0.048
18	0.048	1.219	0.049	1.245	18	3.400	0.0403	1.024	46	0.0024	0.061			P14	0.160	0.001570	0.040
19	0.040	1.016	0.042	1.067	19	3.900	0.0359	0.912	47	0.0020	0.051			P15	0.150	0.001400	0.035
20	0.036	0.914	0.035	0.889	20	4.400	0.0320	0.812	48	0.0016	0.041					0.001240	0.032
21	0.032	0.813	0.032	0.813	21	4.900	0.0285	0.723	49	0.0012	0.03					0.001110	0.028
									50	0.0010	0.025					0.000990	0.025



HEBEI NEWEAST YILONG TRADING CO.,LTD

B-1904 CENTURY ARK BUILDING

91 GUANG AN STREET SHIJIAZHUANG HEBEI CHINA

TEL:+86-311-86662196/86662198/86662199

FAX:+86-311-86662200

E-MAIL:yilong@188.com

yilong1@heinfo.net

xkunlong@126.com

www.hebeiyilong.com

